Author Index to Volume 79

References with (A) are to abstracts of papers presented at meetings of the American Physical Society, and those with (T) designate title only. References with (L) are to Letters to the Editor.

Abragam, A. Paramagnetic resonance and hyperfine structure in the iron transition group—534(L)

Ackerman, Eugene. Maximum pressure for cavitation in biological suspensions—231(A)

Adair, Robert K. Neutron scattering resonances of lithium—1018(L)

—— (see Peterson, R. E.)—218(A), 935

——, **C. K. Bockelman, and R. E. Peterson.** Nuclear energy levels in lead—218(A)

Adams, G. D., D. W. Kerst, and C. S. Robinson. Performance of 300-Mev betatron—208(A)

Adler, Fred P. and Henry Margenau. Electron conductivity and mean free paths—970

Ageno, M., M. Chiozzotto, and R. Querzoli. Scintillations in liquids and solutions—720(L)

Ajzenberg, F. (see Bashkin, S.)—238(A)

—— (see Johnson, V. R.)—187(L), 239(A)

Albrecht, H. O. (see Mandeville, C. E.)—1010(L)

Alburger, David E. Beta-ray spectrum of K^{40}—236(A)

—— (see Sunyar, A. W.)—181(L)

Alexander, B. H. (see Dawson, M. H.)—217(A)

Allen, A. J. (see Sun, K. H.)—3, 197(A)

Allen, K. W. (see Almqvist, E.)—209(A)

—— (see Sanders, J. H.)—238(A)

——, **E. Almqvist, J. T. Dewan, T. P. Pepper, and J. H. Sanders.** T+T reaction: I. Energy distribution of the α-particles—238(A)

Allred, J. C. and Louis Rosen. *D-P* scattering for 10.4-Mev deuterons—227(A)

Almqvist, E. (see Allen, K. W.)—238(A)

—— (see Sanders, J. H.)—238(A)

——, **K. W. Allen, J. T. Dewan, T. P. Pepper, and J. H. Sanders.** 200-kv accelerator with gas recovery system—209(A)

Almy, G. M. (see Diven, B. C.)—242(A)

Anderson, C. D. (see Seriff, A. J.)—204(A)

Anderson, G. (see Freier, P. S.)—206(A)

Anderson, P. W. Antiferromagnetism. Generalizations of the Weiss molecular field theory of antiferromagnetism—705

—— Antiferromagnetism. Theory of superexchange interaction—350

Anderson, Roy S. (see Burkhalter, James H.)—224(A), 651

Anslow, Gladys A. Origin of the weak absorption in the near ultraviolet spectra of hydrogen-bridged amides and alcohols—234(A)

—— (see Shea, Ruth C.)—234(A)

Apker, L. A. and E. Taft. Photoelectric emission from *F*-centers in KI—964

Argo, H. V. (see Jarvis, G. A.)—929

Arnold, W. R. Angular correlation in the reaction $F^{19}(p,\alpha)O^{16*}$-$(\gamma)O^{16}$—170(L)

Arroe, O. H. Hyperfine structure and isotope shift in barium—836

—— On the nuclear spin of Mo^{95} and Mo^{97}—212(A)

Ascoli, Giulio. Relation between π- and μ-meson production spectra in the atmosphere—812

Ashkin, A. (see DeWire, J. W.)—210(A)

Ashkin, J., T. Auerbach, and R. Marshak. Note on a possible annihilation process for negative protons—266

Auerbach, T. (see Ashkin, J.)—266

Austin, George E. (see Fundingsland, O. T.)—232(A)

Avery, R., C. H. Blanchard, and R. G. Sachs. Velocity dependent nuclear interactions—220(A)

Axel, P. (see Saur, A. J.)—237(A)

Baggett, L. M. (see Bame, S. J., Jr.)—415(A)

—— **and S. J. Bame, Jr.** Measurements from a magnetic lens pair spectrometer—415(A)

Bak, B., E. Stenberg Knudsen, E. Madsen, and J. Rastrup-Andersen. Preliminary analysis of the microwave spectrum of ketene—190(L)

Baldwin, G. C., F. I. Boley, and H. C. Pollock. Angular distribution and intensity of 70-Mev x-rays from various targets—210(A)

Ball, Anne F. (see Douglas, T. B.)—202(A)

—— (see Ginnings, D. C.)—202(A)

Bame, S. J., Jr. (see Baggett, L. M.)—415(A)

—— **and L. M. Baggett.** Magnetic lens pair production gamma-ray spectrometer—415(A)

Band, William. Condensation phenomena in a clustering Bose-Einstein gas—871

—— Debye modes and superconductivity—739(L)

—— Non-equilibrium phenomena in a Bose-Einstein gas. Part II. Heat transfer—589

—— Superconductivity and Debye modes—1005(L)

Barbour, Ian and Lawrence Greene. Emulsion studies of cosmic-ray stars produced in metal foils—406(L)

Bardeen, J. Theory of infra-red absorption in silicon and germanium—216(A)

—— Zero-point vibrations and superconductivity—167(L)

Barnothy, J. M. and M. Forro. Coincidence efficiency of gamma-rays—199(A)

Barr, E. Scott. Infra-red absorption spectra of some vegetable oil and related compounds—416(A)

—— (see McGehee, F. M., Jr.)—416(A)

Barrett, J. H. Upper limit on the cross section for the scattering of neutrinos—907(L)

Barschall, H. H. (see Henkel, R. L.)—218(A)

—— (see Peterson, R. E.)—218(A), 593, 935

Bartholomew, G. A. (see Kinsey, B. B.)—218(A)

——, **B. B. Kinsey, and W. H. Walker.** Neutron capture-radiation from heavy elements—218(A)

Barton, H. M., Jr. Average electron density measurements by low angle x-ray scattering—211(A)

Bashkin, S. (see Richards, H. T.)—239(A)

——, **F. Ajzenberg, C. P. Browne, Gerson Goldhaber, M. J. W. Laubenstein, and H. T. Richards.** Yield of He^3 and scattered protons from Li^6+P—238(A)

Bass, Robert E. Stability of systems and general principles—201(A)

Bateson, W. O. and Ernest Pollard. Protons from the deuteron bombardment of Co^{59}—241(A)

Batzel, Roger E. and Glenn T. Seaborg. Fission of medium weight elements—528(L)

Bay, Z. New type of high speed coincidence circuit—233(A)

Beach, L. A. (see DeWire, J. W.)—210(A)

Beams, J. W. (see Smith, E. C.)—222(A)

Beard, G. B., J. L. Levy, W. A. Nierenberg, and R. W. Pidd. Design of magnet ends and straight sections for a racetrack synchrotron—209(A)

Bearden, J. A. and Guenter Schwarz. Precision evaluation of h/e by x-rays—674

Beckett, C. W. (see Taylor, W. J.)—234(A)

Belcher, H. V. (see Bestul, A. B.)—223(A)

Belinfante, F. J. Self-energy of moving free electron—201(A)

Bell, Ely E. (see Jones, Robert)—1004(L)

Bell, P. R. (see Cassidy, J. M.)—418(A)

—— (see Francis, J. E., Jr.)—418(A)

—— **and Judith M. Cassidy.** Measurement of the gamma-ray energy of K^{40}—173(L)

Author Index to Volume 79

References with (A) are to abstracts of papers presented at meetings of the American Physical Society, and those with (T) designate title only. References with (L) are to Letters to the Editor.

Abragam, A. Paramagnetic resonance and hyperfine structure in the iron transition group—534(L)

Ackerman, Eugene. Maximum pressure for cavitation in biological suspensions—231(A)

Adair, Robert K. Neutron scattering resonances of lithium—1018(L)

—— (see Peterson, R. E.)—218(A), 935

——, **C. K. Bockelman, and R. E. Peterson.** Nuclear energy levels in lead—218(A)

Adams, G. D., D. W. Kerst, and C. S. Robinson. Performance of 300-Mev betatron—208(A)

Adler, Fred P. and Henry Margenau. Electron conductivity and mean free paths—970

Ageno, M., M. Chiozzotto, and R. Querzoli. Scintillations in liquids and solutions—720(L)

Ajzenberg, F. (see Bashkin, S.)—238(A)

—— (see Johnson, V. R.)—187(L), 239(A)

Albrecht, H. O. (see Mandeville, C. E.)—1010(L)

Alburger, David E. Beta-ray spectrum of K^{40}—236(A)

—— (see Sunyar, A. W.)—181(L)

Alexander, B. H. (see Dawson, M. H.)—217(A)

Allen, A. J. (see Sun, K. H.)—3, 197(A)

Allen, K. W. (see Almqvist, E.)—209(A)

—— (see Sanders, J. H.)—238(A)

——, **E. Almqvist, J. T. Dewan, T. P. Pepper, and J. H. Sanders.** T+T reaction: I. Energy distribution of the α-particles—238(A)

Allred, J. C. and Louis Rosen. *D-P* scattering for 10.4-Mev deuterons—227(A)

Almqvist, E. (see Allen, K. W.)—238(A)

—— (see Sanders, J. H.)—238(A)

——, **K. W. Allen, J. T. Dewan, T. P. Pepper, and J. H. Sanders.** 200-kv accelerator with gas recovery system—209(A)

Almy, G. M. (see Diven, B. C.)—242(A)

Anderson, C. D. (see Seriff, A. J.)—204(A)

Anderson, G. (see Freier, P. S.)—206(A)

Anderson, P. W. Antiferromagnetism. Generalizations of the Weiss molecular field theory of antiferromagnetism—705

—— Antiferromagnetism. Theory of superexchange interaction—350

Anderson, Roy S. (see Burkhalter, James H.)—224(A), 651

Anslow, Gladys A. Origin of the weak absorption in the near ultraviolet spectra of hydrogen-bridged amides and alcohols—234(A)

—— (see Shea, Ruth C.)—234(A)

Apker, L. A. and E. Taft. Photoelectric emission from *F*-centers in KI—964

Argo, H. V. (see Jarvis, G. A.)—929

Arnold, W. R. Angular correlation in the reaction $F^{19}(p,\alpha)O^{16*}$-$(\gamma)O^{16}$—170(L)

Arroe, O. H. Hyperfine structure and isotope shift in barium—836

—— On the nuclear spin of Mo^{95} and Mo^{97}—212(A)

Ascoli, Giulio. Relation between π- and μ-meson production spectra in the atmosphere—812

Ashkin, A. (see DeWire, J. W.)—210(A)

Ashkin, J., T. Auerbach, and R. Marshak. Note on a possible annihilation process for negative protons—266

Auerbach, T. (see Ashkin, J.)—266

Austin, George E. (see Fundingsland, O. T.)—232(A)

Avery, R., C. H. Blanchard, and R. G. Sachs. Velocity dependent nuclear interactions—220(A)

Axel, P. (see Saur, A. J.)—237(A)

Baggett, L. M. (see Bame, S. J., Jr.)—415(A)

—— **and S. J. Bame, Jr.** Measurements from a magnetic lens pair spectrometer—415(A)

Bak, B., E. Stenberg Knudsen, E. Madsen, and J. Rastrup-Andersen. Preliminary analysis of the microwave spectrum of ketene—190(L)

Baldwin, G. C., F. I. Boley, and H. C. Pollock. Angular distribution and intensity of 70-Mev x-rays from various targets—210(A)

Ball, Anne F. (see Douglas, T. B.)—202(A)

—— (see Ginnings, D. C.)—202(A)

Bame, S. J., Jr. (see Baggett, L. M.)—415(A)

—— **and L. M. Baggett.** Magnetic lens pair production gamma-ray spectrometer—415(A)

Band, William. Condensation phenomena in a clustering Bose-Einstein gas—871

—— Debye modes and superconductivity—739(L)

—— Non-equilibrium phenomena in a Bose-Einstein gas. Part II. Heat transfer—589

—— Superconductivity and Debye modes—1005(L)

Barbour, Ian and Lawrence Greene. Emulsion studies of cosmic-ray stars produced in metal foils—406(L)

Bardeen, J. Theory of infra-red absorption in silicon and germanium—216(A)

—— Zero-point vibrations and superconductivity—167(L)

Barnothy, J. M. and M. Forro. Coincidence efficiency of gamma-rays—199(A)

Barr, E. Scott. Infra-red absorption spectra of some vegetable oil and related compounds—416(A)

—— (see McGehee, F. M., Jr.)—416(A)

Barrett, J. H. Upper limit on the cross section for the scattering of neutrinos—907(L)

Barschall, H. H. (see Henkel, R. L.)—218(A)

—— (see Peterson, R. E.)—218(A), 593, 935

Bartholomew, G. A. (see Kinsey, B. B.)—218(A)

——, **B. B. Kinsey, and W. H. Walker.** Neutron capture-radiation from heavy elements—218(A)

Barton, H. M., Jr. Average electron density measurements by low angle x-ray scattering—211(A)

Bashkin, S. (see Richards, H. T.)—239(A)

——, **F. Ajzenberg, C. P. Browne, Gerson Goldhaber, M. J. W. Laubenstein, and H. T. Richards.** Yield of He^3 and scattered protons from Li^6+P—238(A)

Bass, Robert E. Stability of systems and general principles—201(A)

Bateson, W. O. and Ernest Pollard. Protons from the deuteron bombardment of Co^{59}—241(A)

Batzel, Roger E. and Glenn T. Seaborg. Fission of medium weight elements—528(L)

Bay, Z. New type of high speed coincidence circuit—233(A)

Beach, L. A. (see DeWire, J. W.)—210(A)

Beams, J. W. (see Smith, E. C.)—222(A)

Beard, G. B., J. L. Levy, W. A. Nierenberg, and R. W. Pidd. Design of magnet ends and straight sections for a racetrack synchrotron—209(A)

Bearden, J. A. and Guenter Schwarz. Precision evaluation of h/e by x-rays—674

Beckett, C. W. (see Taylor, W. J.)—234(A)

Belcher, H. V. (see Bestul, A. B.)—223(A)

Belinfante, F. J. Self-energy of moving free electron—201(A)

Bell, Ely E. (see Jones, Robert)—1004(L)

Bell, P. R. (see Cassidy, J. M.)—418(A)

—— (see Francis, J. E., Jr.)—418(A)

—— **and Judith M. Cassidy.** Measurement of the gamma-ray energy of K^{40}—173(L)

—— **and W. H. Jordan.** Gamma-rays from Po-Be neutron source and the excited state of C^{12}—392(L)
Bell, R. E. and L. G. Elliott. Gamma-rays from the reaction $H^1(n,\gamma)D^2$ and the binding energy of the deuteron—282
—— **and R. L. Graham.** Erratum: measurement of a 1.6×10^{-9}-sec. half-life in Yb^{170}—194(L)
Benedict, W. S. and E. K. Plyler. Spectrum of water vapor in the region of 2.7μ—234(A)
Bennett, Willard H. Rapid scanning mass spectroscope—222(A)
Berger, Martin J. (see Groetzinger, Gerhart)—228(A), 454
Bergmann, Peter G. (see Goldberg, Joshua)—225(A)
——, **Robert Penfield, Ralph Schiller, and Henry Zatzkis.** Equations of motion in the covariant canonical formulism—201(A)
Bergström, Ingmar and Sigvard Thulin. On the decay of Xe^{133m}—538(L)
—— **and Sigvard Thulin.** On the isomerism of Kr^{85}—537(L)
Berlin, T. H. (see Thomsen, John S.)—203(A)
Berlman, Isadore B. 1.0-Mev energy level in C^{13}—411(L)
Bernardini, G., G. Cortini, and A. Manfredini. On nuclear evaporation in cosmic rays and the absorption of the nucleonic component. II—952
Besdin, D. J. Diamagnetism of free electrons—417(A)
Bestul, A. B. and H. V. Belcher. Degradation of different molecular weight polyisobutylenes on shearing in solution—223(A)
Bethe, H. A., L. M. Brown, and M. C. Walske. Stopping power of K-electrons—413(L)
Beyster, J. R. and M. L. Wiedenbeck. Beta-gamma- and gamma-gamma-angular correlation experiments on Sb^{124}—169(L)
—— **and M. L. Wiedenbeck.** Beta-gamma-angular correlation experiments—728(L)
—— **and M. L. Wiedenbeck.** Gamma-gamma-correlation experiments—411(L)
Bezmann, Irving J. (see Johnston, Herrick L.)—235(A)
Biondi, Manfred A. Ambipolar diffusion in neon—733(L)
Birge, Raymond T. Bohr formula for the Rydberg constant—193(L); Erratum—1005(L)
Birkhoff, Robert D., Earl E. Hays, and S. A. Goudsmit. Energy loss of million-volt electrons—199(A)
Bitter, F. (see Brossel, J.)—225(A)
Blair, J. Morris and J. R. Wallace. Total neutron cross section of vanadium from 10 to 1000 kev—28
Blanchard, C. H. (see Avery, R.)—220(A)
Bleakney, W. and D. R. White. Diffraction of shock waves around, and surface pressures on, two-dimensional objects—546(A)
Bleil, D. F. (see Trounson, E. P.)—226(A), 542(L)
—— **and R. K. Wangsness.** Interpretation of magnetic resonance absorption in antiferromagnetic materials—227(A)
Bloch, Felix. Recent developments of nuclear induction—234(T)
Blocker, Wade, Robert Kenney, and Wolfgang K. H. Panofsky. Transition curves of 330-Mev bremsstrahlung—419
Bloembergen, N. and W. C. Dickinson. On the shift of the nuclear magnetic resonance in paramagnetic solutions—179(L)
Bloom, Stanley (see Margenau, Henry)—213(A)
Bockelman, C. K. (see Adair, R. K.)—218(A)
—— (see Peterson, R. E.)—593, 218(A)
Bohm, David (see Ford, K. W.)—746(L)
—— (see Pines, David)—232(A)
—— **and E. P. Gross.** Effects of plasma boundaries in plasma oscillations—992
Boley, F. I. (see Baldwin, G. C.)—210(A)
—— (see Pratt, W. W.)—208(A)
Bollinger, Lowell M. Measurements on cosmic radiation far underground—207(A)
Bonner, T. W. (see Whaling, Ward)—258
——, **J. W. Butler, and J. R. Risser.** Excitation levels in B^{10}—240(A)
Boorse, H. A. (see Cook, D. B.)—212(A), 1021(L)
—— **and J. G. Dash.** New method for measuring film transport in liquid He II—734(L)
—— **and J. G. Dash.** Transport rates of the liquid He II film over various surfaces—1008(L)
Borkowski, C. J. Proportional and scintillation counters—414(T)
Bothe, W. and H. Thurn. Shape of the Rossi curve—544(L)
Bouricius, G. M. B. (see Shoemaker, F. C.)—228(A)
Boyd, G. E. (see Ketelle, B. H.)—242(A)
Boyd, J. E. (see Kent, C. F.)—417(A)
Boyer, Keith (see Gove, Harry)—241(A)
—— **and Harry Gove.** Elastic and inelastic scattering of 14-Mev deuterons—228(A)
Bozorth, R. M. Atomic moments of ferromagnetic alloys—887(L)
—— **and J. G. Walker.** Domain structure of a cobalt-nickel crystal—888(L)
Bradner, Hugh, D. J. O'Connell, and B. Rankin. On the relative production of π^+- and π^--mesons by neutrons—720(L)
Branscomb, Lewis M. Anomalous molecular rotation and the temperature of the upper atmosphere—619
Branyan, C. E. (see Cork, J. M.)—238(A), 889(L), 938
—— (see Rutledge, W. C.)—237(A)
Breit, G. Fierz and Kopfermann-Brix explanation of the spectroscopic odd-even isotope shift staggering—891(L)
Brentano, J. C. M. and D. H. Davis. Electrical properties of semiconductors with macroscopic discontinuities—216(A)
Bridge, H. S. (see Rediker, R. H.)—206(A)
Brinkman, J. A. and C. Kikuchi. Hyperfine structure and nuclear specific heat of copper—226(A)
Brode, Robert B. (see Merkle, T. C., Jr.)—926
Brody, James K. (see Fred, Mark)—212(A)
Brolley, J. E., Jr., J. H. Coon, and J. L. Fowler. Neutron-proton scattering at 27 Mev—227(A)
Brooks, Franklin C. On the theory of van der Waals forces—200(A)
Brosi, A. R. (see Zeldes, H.)—901(L)
——, **H. Zeldes, and B. H. Ketelle.** $Argon^{39}$ beta-spectrum—902(L)
Brossel, J., P. Sagalyn, and F. Bitter. Optical detection of radiofrequency resonance—225(A)
Brow, Jeanne E. (see Schwertz, F. A.)—223(A)
Brown, H. (see Martinson, O.)—178(L)
Brown, Harrison S. Cosmic abundances of nuclear species—414(T)
Brown, L. M. Asymptotic expression for the stopping power of K-electrons—297
—— (see Bethe, H. A.)—413(L)
Brown, Sanborn C. (see Varnerin, Lawrence J., Jr.)—946
Browne, C. P. (see Bashkin, S.)—238(A)
Broyles, A. A. and M. H. Hull. Effect of assumed range of tensor force on the neutron-proton interaction—247
—— **and B. Kivel.** Lower bounds on the range of the neutron-proton interaction—418(A)
Brueckner, K. A. Production of mesons by photons—641
—— **and K. M. Watson.** Production of neutral mesons by photons—187(L)
Bruner, Joseph A. and Lawrence M. Langer. Beta-disintegration of Sc^{44}—236(A)
—— **and Lawrence M. Langer.** Radioactivity of $scandium^{44}$—606
Buechner, W. W. (see Strait, E. N.)—240(A)
—— (see Van Patter, D. M.)—900(L)
—— **and D. M. Van Patter.** Energy levels in B^{11} from the $B^{10}(d,p)B^{11*}$ reaction—240(A)
——, **D. M. Van Patter, E. N. Strait, and A. Sperduto.** Proton groups from $B^{11}(d,p)B^{12}$—262

Bunker, Merle E., Robert Canada, and Allan C. G. Mitchell. Radiations from Os^{185}, Os^{191}, and Os^{193}—610
Bupp, Lamar P. (see Scott, Allen B.)—341, 346
Burgus, W. H., J. D. Knight, and R. J. Prestwood. Radiations of Zr^{97} and Nb^{97}—104
Burgy, M. T. (see Hughes, D. J.)—227(A)
Burkhalter, James H., Roy S. Anderson, William V. Smith, and Walter Gordy. Fine structure of the microwave absorption spectrum of oxygen—651
——, **R. S. Anderson, W. V. Smith, and W. Gordy.** Microwave absorption spectrum of oxygen at low pressures—224(A)
Burns, G. Preston. Equation of the magnetic threshold curve for indium—211(A)
Burstein, E. (see Oberly, J. J.)—217(A)
—— **and J. J. Oberly.** Nature and properties of trapped holes in the alkali halides—217(A)
—— **and J. J. Oberly.** Nature of trapped hole color centers in the alkali halides—903(L)
Busser, J. (see Chance, B.)—244(A)
Butler, J. W. (see Bonner, T. W.)—240(A)
—— (see Whaling, Ward)—414(A)

Callen, Herbert B. Polaron states in ionic crystals—533(L)
Cameron, A. G. W. (see Millar, C. H.)—182(L)
Campbell, Edward C. (see Goodrich, Max)—418(A)
Canada, Robert (see Bunker, Merle E.)—610
Carnes, Elmer B. Vibrations produced by water flowing through a constricted elastic tube—416(A)
Cartwright, W. F. (see Wilcox, H. A.)—198(A)
Case, K. M. Singular potentials—220(A)
—— **and A. Pais.** On high energy nucleon-nucleon scattering—185(L)
Cassidy, Judith M. (see Bell, P. R.)—173(L)
—— **and P. R. Bell.** Long-lived cadmium activities—418(A)
Castellan, G. W. and F. Seitz. Transition from insulating to metallic behavior in semiconducting silicon—216(A)
Chamberlain, Owen, R. F. Mozley, J. Steinberger, and C. Wiegand. Measurement of the positive π-μ-decay lifetime—394(L)
—— **and Clyde Wiegand.** Proton-proton scattering at 340 Mev—81
Chance, Britton. Low frequency fluctuations in the tungsten-lamp-photo-cell system—233(A)
——, **J. Busser, and F. C. Williams.** Fast multiplying circuit—244(A)
Chang, Chia-hua (see Cook C. Sharp)—244(A)
Chang, Chieh-Chien (see des Clers, Bertrand)—547(A)
Chang, W. Y. Further experiments on slow μ-mesons stopped at thin Al foils—205(A)
Chao, C. Y., A. V. Tollestrup, W. A. Fowler, and C. C. Lauritsen. Low energy alpha-particles from fluorine bombarded by protons—108
Chapman, R. M. (see Shaw, J. H.)—1017(L)
Charpie, R. A. (see Sun, K. H.)—3, 197(A)
Cheng, Lin-sheng and J. D. Kurbatov. Radiations emitted by Sr 85—237(A)
Chew, Geoffrey F. Inelastic scattering of high energy neutrons by deuterons and the neutron-neutron interaction—219(A)
Chiozzotto, M. (see Ageno, M.)—720(L)
Chow, R. H. (see More, K. R.)—208(A)
Christian, R. S. and H. P. Noyes. Proton-proton interaction—85
Chu, T. C. New radioactive isotopes of iridium—582
Clark, G. W. and L. B. Snoddy. Production of high current electron pulses by a resonant cavity accelerator—232(A)
Clark, J. S. (see Getting, I. A.)—208(A)
Clay, J. and H. F. Jongen. Solar flare of November 19, 1949 and cosmic rays—908(L)
Cleland, Marshall R. (see Jastram, Philip S.)—243(A)
——, **Wilfred R. Konneker, and A. L. Hughes.** Pair production by electrons—229(A)
Clement, J. R. and E. H. Quinnell. Atomic heat of indium at liquid helium temperatures—1028(L)
Cocconi, G. Extensive air showers and total cosmic radiation—1006(L)
—— **and V. Cocconi Tongiorgi.** Intensity and lateral distribution of the *N*-component in the extensive showers of the cosmic radiation—730(L)
——, **V. Cocconi Tongiorgi, and M. Widgoff.** Cascades of nuclear disintegrations induced by the cosmic radiation—768
Coester, F. and J. M. Jauch. On the role of the subsidiary condition in quantum electrodynamics—201(A)
Cohen, V. W., W. D. Knight, T. Wentink, Jr., and W. S. Koski. Nuclear magnetic resonance of Sb^{121} and Sb^{123}—191(L)
Coles, D. K., W. E. Good, and R. H. Hughes. Microwave spectrum of methyl cyanide and its isotopic modifications—224(A)
Collins, Thomas L. Nuclear magnetic moment of Sb^{121}—226(A)
Conn, William M. Coating method based on the use of electrically "exploded" wires—213(A)
Conversi, Marcello. Experiments on cosmic-ray mesons and protons at several altitudes and latitudes—749
Cook, C. Sharp (see Ter-Pogossian, Michel)—244(A)
—— **and Chia-hua Chang.** Measurements of the relative transmission of beta-particles through thin zapon windows—244(A)
Cook, D. B., M. W. Zemansky, and H. A. Boorse. Superconductivity of columbium nitride—1021(L)
——, **M. W. Zemansky, and H. A. Boorse.** Superconducting properties of columbium—212(A)
Coomes, E. A., R. J. Munick, and W. B. La Berge. Effect of patch fields on Schottky deviations—233(A)
Coon, J. H. (see Brolley, J. E., Jr.)—227(A)
Cooper, C. D. and H. Sponer. Absorption spectra of the xylene vapors in the near ultraviolet—235(A)
Cooper, D. I., D. H. Frisch, C. L. Storrs, Jr., and C. J. Strumski. Small electrostatic generator—208(A)
Corak, W. S. (see Wexler, Aaron)—737(L)
Cork, Bruce. Energy dependence of proton-proton scattering over the interval of 19 to 32 Mev—227(A)
——, **Lawrence Johnston, and Chaim Richman.** Proton-proton scattering at 31.8 Mev, proportional counter method—71
Cork, J. M. (see Keller, H. B.)—1030(L)
—— (see Rutledge, W. C.)—237(A)
——, **W. C. Rutledge, C. E. Branyan, A. E. Stoddard, and J. M. LeBlanc.** Energy levels associated with Se^{75}—889(L)
——, **W. C. Rutledge, A. E. Stoddard, C. E. Branyan, and J. M. LeBlanc.** Radioactivity from enriched isotopes of cadmium—938
——, **W. C. Rutledge, A. E. Stoddard, C. E. Branyan, and J. LeBlanc.** Radioactivity in enriched cadmium isotopes—238(A)
Corrsin, L. Remarks on the infra-red spectrum of deuteronaphthalene—235(A)
Corruccini, Robert J. Effect of heat treatment on the electrical properties of platinum—202(A)
Corson, Dale R. and Margaret R. Keck. Electron track grain densities in nuclear emulsions—209(A)
Cortini, G. (see Bernardini, G.)—952
Courant, H. W. J. (see Williams, R. W.)—207(A)
Cowan, E. W. (see Seriff, A. J.)—204(A)
Craig, D. S. (see Richards, H. T.)—239(A)
Crawford, J. H., Jr. and K. Lark-Horovitz. Thermal equilibrium in neutron-irradiated semiconductors—889(L)
Crawley, Clyde B. (see Wineland, W. C.)—416(A)
Critchfield, C. L., E. P. Ney, and Sophie Oleksa. Electrons in cosmic rays—402(L)

Crown, J. C. Flow of a gas characterized by the Beattie-Bridgeman equation of state and variable specific heats. Part II. Shock waves—229(A)
Crymes, Morita (see Straley, Joseph W.)—416(A)
Cuffey, William H. Coincidence studies of the disintegration of Sc^{44}—180(L)
Czyzak, S. J. (see Reynolds, D. C.)—543(L)

Dailey, Benjamin P. (see Sharbaugh, A. Harry)—189(L)
Dale, B. M. (see Sorensen, B. N.)—1007(L)
Danforth, W. E. and F. H. Morgan. Electrical resistance of thoria—142
Danos, Michael (see Steinwedel, Helmut)—1019(L)
Dash, J. G. (see Boorse, H. A.)—734(L), 1008(L)
Daunt, J. G. and C. V. Heer. Lambda-temperatures of solutions of He^3 in He^4 below 1°K—46
Davis, D. H. (see Brentano, J. C. M.)—216(A)
Davis, W. O. (see Staker, W. P.)—207(A)
Dawson, M. H. and B. H. Alexander. Metallographic study of germanium point contact rectifiers—217(A)
DeBenedetti, S. (see Konneker, W. R.)—210(A)
de Launay, Jules. On the isotope effect in superconductors 398(L)
DeLord, J. (see Dresden, M.)—211(A)
der Mateosian, E. (see Miskel, J. A.)—193(L)
—— **and M. Goldhaber.** Question of isomerism in Ca^{49}—192(L)
des Clers, Bertrand and Chieh-Chien Chang. Aerodynamic behavior and interaction of supersonic and subsonic axially symmetric flows—547(A)
de-Shalit, A. (see Frauenfelder, H.)—1029(L)
Deutsch, Martin and Arne Hedgran. Radioactivity of Hf^{181}—400(L)
Dewan, J. T. (see Allen, K. W.)—238(A)
—— (see Almqvist, E.)—209(A)
—— (see Sanders, J. H.)—238(A)
DeWire, J. W., A. Ashkin, and L. A. Beach. Pair spectrometer for high energy x-rays—210(A)
Dibeler, Vernon H. (see Mohler, Fred L.)—223(A)
——, **E. J. Wells, Jr., and R. M. Reese.** Mass spectra of $C^{13}O_2$ and $C^{13}O$—223(A)
Dickinson, W. C. (see Bloembergen, N.)—179(L)
Dieke, G. H. (see Robertson, Harry S.)—232(A)
Diggins, J. L. Investigation of the efficiency of a simple diffuser for supersonic wind tunnels—229(A)
Dijkstra, L. J. and C. Wert. Effect of inclusions on coercive force of iron—979
Diven, B. C. and G. M. Almy. Photo-disintegration of Ag and Al—242(A)
Donahue, D. (see Richards, H. T.)—239(A)
Doughty, J., K. Lark-Horovitz, L. M. Roth, and B. Shapiro. Structure of lead sulfide films—203(A)
Douglas, T. B. (see Ginnings, D. C.)—202(A)
——, **Anne F. Ball, and D. C. Ginnings.** Heat capacity of liquid mercury between 0° and 450°C—202(A)
Dow, W. G. (see Early, H. C.)—186(L)
Drell, S. D. Non-perturbation calculation of the nucleon-meson coupling constant—220(A)
Dresden, M. (see Reed, Ronald L.)—200(A)
—— **and J. DeLord.** Bloch's theorem and superconductivity —211(A)
Duckworth, Henry E. and Richard S. Preston. Masses of Si^{28}, Si^{29}, Mn^{55}, Fe^{56}, Ni^{58}, Pd^{110}, Cd^{110}, Cd^{112}, Cd^{116}, and Sn^{116}—402(L)
——, **Richard S. Preston, and Karl S. Woodcock.** Masses of Si^{30}, Co^{59}, Ni^{60}, Zr^{90}, Mo^{96}, and Mo^{100}—188(L)
——, **Karl S. Woodcock, and Richard S. Preston.** Packing fraction curve in the neighborhood of the magic number $n=50$—198(A)
Duffield, R. B., L. Hsiao, and E. N. Sloth. Radioactivities of Nb^{99}, Ta^{185}, and W^{185}, and the relative (γ,n) and (γ,p) cross sections of Mo^{100}—1011(L)
DuMond, J. W. M. High precision methods for absolute determination of nuclear energy levels—210(T)
Dunlap, W. C. Some properties of high resistivity *P*-type germanium—286
Dunnington, F. G. (see Garfunkel, M. P.)—211(A)
—— (see Hemenway, C. L.)—887(L)
Dwight, K. (see Winckler, J. R.)—656

Early, H. C. and W. G. Dow. Supersonic wind at low pressures produced by arc in magnetic field—186(L)
Eisner, E. (see Hamermesh, M.)—888(L)
Ekstein, H. and T. Gilbert. Mechanism of remagnetization in an initially saturated ferromagnet—214(A)
Elliot, J. O., S. H. Liebson, and C. F. Ravilious. Variation of the decay time of the fluorescence of anthracene and stilbene with temperature—393(L)
Elliott, L. G. (see Bell, R. E.)—282
Elsasser, Walter M. Hydromagnetic equations—183(L)
Elston, A. W. (see Lord, J. J.)—540(L)
Elton, L. R. B. Effect of nuclear structure on the elastic scattering of fast electrons—412(L)
Emeleus, K. G. (see Sayers, N. D.)—166(L)
Ener, Cavid. Relative velocities of ultrasonic waves in liquids by spark shadow photography—231(A)
Engelkemeir, D. W. (see Freedman, M. S.)—897(L)
Erginsoy, Cavid. Neutral impurity scattering in semiconductors—1013(L)
Estermann, I. and A. Foner. Magnetoresistance of germanium samples between 20° and 300°K—365

Failla, G. (see Gross, W.)—209(A)
Fairbank, Henry A. (see Lynton, Ernest A.)—735(L)
——, **Ernest A. Lynton, and C. T. Lane.** Rollin film creep rate in He^4 and He^3-He^4 mixture—211(A)
Falk, C. E. Angular distribution of neutrons from 15-Mev deuterons on thick cyclotron targets—219(A)
Falkoff, David L. and G. E. Uhlenbeck. On the beta-gamma-angular correlation—334
—— **and G. E. Uhlenbeck.** On the directional correlation of successive nuclear radiations—323
Fan, C. Y. On the origin of the cosmic radiation—912(L)
Fan, H. Y. (see Johnson, V. A.)—899(L)
Faris, F. E. and Byron T. Wright. Results of 12.4-Mev proton-proton scattering at 90°—577
Farrar, R. T. (see Liebson, S. H.)—733(L)
Faulkner, J. E. (see Shoemaker, F. C.)—228(A)
Feingold, A. M. and E. P. Wigner. Effect of tensor forces on the level structure of Li^6 and Li^7—221(A)
Feldman, David (see Yang, C. N.)—972
Feuer, Paula and Hubert M. James. Perturbed periodic wave equation in three dimensions—216(A)
Fillmore, Franklin L. (see Panofsky, Wolfgang K. H.)—57
Finkelnburg, Wolfgang. Spectroscopic and extrapolated ionization potentials of atoms and ions—213(A)
Finkelstein, R. and M. Rudermann. Non-linear spinor fields—220(A)
Fisher, L. H. (see Kachickas, G. A.)—232(A)
Fisk, C. B. (see Salant, E. O.)—184(L), 184(L)
——, **J. Hornbostel, E. O. Salant, and J. E. Smith.** Energetic stars at different latitudes—205(A)
Fitzpatrick, J. A. and W. J. Thaler. Barium titanate coaxial cable for the production of a short duration spark—231(A)
Fletcher, C. H. Diffraction of a shock wave through a small angle—546(A)
Flowers, John W. (see Hatchett, Cresswell)—417(A)
Foldy, L. L. (see Osborn, R. K.)—795
—— (see Sachs, R. G.)—221(A)

Folsom, R. G. and S. A. Schaaf. Some experiments in the field of rarefied gas dynamics—546(T)
Foner, A. (see Estermann, I.)—365
Foner, S. (see Heine-Geldern, R.)—230(A)
——, **E. M. Pugh, R. Heine-Geldern, and E. C. Mutschler.** III. Kerr cell photography of high speed phenomena—instrumentation—230(A)
Forbush, Scott E., Thomas B. Stinchcomb, and Marcel Schein. Extraordinary increase of cosmic-ray intensity on November 19, 1949—501
Ford, K. W. and D. Bohm. Nuclear size resonances—746(L)
Forro, M. (see Barnothy, J. M.)—199(A)
Fowler, J. L. (see Brolley, J. E., Jr.)—227(A)
Fowler, W. A. (see Chao, C. Y.)—108
Fowler, W. B. Altitude dependence of neutron production by cosmic-ray particles—178(L)
Francis, J. E., Jr., P. R. Bell, and J. C. Gundlach. Single-channel differential pulse-height analyzer—418(A)
Frank, F. C. and W. T. Read, Jr. Multiplication processes for slow moving dislocations—722(L)
Frankel, Sherman (see Stump, Robert)—243(A)
Franzen, W., R. Peelle, and R. Sherr. Measurement of particle energies with scintillation counters—209(A)
——, **R. W. Peelle, and R. Sherr.** Measurement of proton energies with scintillation counters—742(L)
Frauenfelder, H., O. Huber, A. de-Shalit, and W. Zünti. Decay of Hg^{197}—1029(L)
Fred, Mark, Frank S. Tomkins, and James K. Brody. Spectrum of He^3 I—212(A)
Freedman, M. S. (see Smaller, B.)—940
—— **and D. W. Engelkemeir.** Radiations of Ce^{141} and Pa^{233}—897(L)
——, **A. H. Jaffey, and F. Wagner, Jr.** Spectrometer and coincidence studies of Np^{238}—410(L)
Freier, George D., L. Rosen, and T. F. Stratton. Excited nuclear state of Be^7—239(A)
——, **T. F. Stratton, and L. Rosen.** Excited nuclear state of Be^7—721(L)
Freier, P. S. (see Ney, E. P.)—206(A)
——, **E. P. Ney, J. Naugle, and G. Anderson.** Nighttime flux of heavy nuclei—206(A)
Frenkiel, F. N. Statistical analysis of turbulence data with computing machines—229(A)
Friedlander, G. (see Sunyar, A. W.)—181(L)
Friedman, Abraham S. (see Johnston, Herrick L.)—235(A)
—— (see White, David)—235(A), 235(A)
Frisch, D. H. (see Cooper, D. I.)—208(A)
Fröhlich, H. Theory of the superconducting state. I. Properties at the absolute zero of temperature—845
—— **and F. Seitz.** Notes on the theory of dielectric breakdown in ionic crystals—526
Fry, William F. Low energy electrons at the end of μ-meson tracks—893(L)
Fuchs, M. and E. S. Lennox. Effect of the nuclear charge and of interference on calculated β-γ-correlations—221(A)
Fuller, E. G. Photo-disintegration of deuterium by 4.5- to 20.3-Mev x-rays—303
Fundingsland, O. T. and George E. Austin. Magnetically controlled ambipolar diffusion—232(A)
Furst, Milton (see Kallmann, Hartmut)—857
Furukawa, G. T., R. E. McCoskey, R. S. Jessup, and R. A. Nelson. Thermal properties of diphenyl ether—223(A)

Gaerttner, E. R. and M. L. Yeater. On the identification of the predominant photo-nuclear disintegrations in nitrogen and oxygen—401(L)
Gallagher, C. J. Anode phenomena in high current arcs—231(A)
Galt, J. K. (see Yager, W. A.)—214(A)
——, **B. T. Matthias, and J. P. Remeika.** Properties of single crystals of nickel ferrite—214(A), 391(L)
Gamow, G. and C. Longmire. Problem of red giants and cepheid variables—743(L)
Gangnes, A. V. (see Van Allen, J. A.)—51
Garelli, C, M. and G. Wataghin. Cosmic rays underground—718(L)
Garfunkel, M. P. (see Serin, B.)—211(A)
——, **F. G. Dunnington, and B. Serin.** Resistance minima in metals at low temperatures—211(A)
Garstens, Martin A. Nuclear magnetic resonance in metallic hydrides—397(L)
Geiger, Felix E., Jr. Isotope shift in Pb II—212(A)
Geschwind, S., H. Minden, and C. H. Townes. Microwave measurements on the stable selenium isotopes in OCSe—226(A)
Getting, I. A., J. S. Clark, J. E. Thomas, Jr., I. G. Swope, and M. L. Sands. Operation of the M.I.T. 350-Mev electron synchrotron—208(A)
Ghiorso, A. (see Hagemann, French)—435
—— (see Street, K., Jr.)—530(L)
Gierer, A. and K. Wirtz. On the theory of supersonic absorption—906(L)
Gilbarg, David. Existence and limit behavior of the one-dimensional shock layer—547(A)
Gilbert, T. (see Ekstein, H.)—214(A)
Ginnings, D. C. (see Douglas, T. B.)—202(A)
——, **T. B. Douglas, and A. F. Ball.** Heat capacity of sodium between 0° and 900°C.—202(A)
Gliessman, J. R. (see Hung, C. S.)—726(L)
Gold, Louis. On the theory of beta-brass structure—202(A)
Goldberg, Joshua and Peter G. Bergmann. Radiofrequency transitions in a tapered electric field—225(A)
Goldberger, M. L. Electric processes involved in deuteron reactions—221(A)
Goldhaber, Gerson (see Bashkin, S.)—238(A)
Goldhaber, M. Recent work on nuclear isomers—242(T)
—— (see der Mateosian, E.)—192(L)
—— (see Miskel, J. A.)—193(L)
—— (see Sunyar, A. W.)—181(L)
Goldman, J. E. Magnetostriction in magnetic alloys with preferred crystal orientation—215(A)
—— (see Plotkin, H. H.)—215(A)
Goldstein, Herbert. On the lower levels of He^5—740(L)
Goldstein, L. (see Parzen, P.)—190(L), 231(A)
—— **and D. Sweeney.** On the scattering of slow neutrons by solid helium—218(A)
Goldwasser, E. L. (see Merkle, T. C., Jr.)—926
Good, W. E. (see Coles, D. K.)—224(A)
Goodrich, Max and Edward C. Campbell. Radiation from short-lived tantalum isomer—418(A)
Gordy, Walter (see Burkhalter, James H.)—224(A), 651
—— (see Kessler, Myer)—54
—— (see Sheridan, John)—224(A), 513
—— (see Trambarulo, Ralph)—224(A)
—— (see Williams, Quitman)—225(A)
—— **and John Sheridan.** Microwave spectra of the methyl mercuric halides—224(A)
Gottleib, Melvin B. (see Hartzler, Alfred J.)—204(A)
—— **and Alfred J. Hartzler.** Large cloud chamber for the study of penetrating showers—204(A)
——, **A. J. Hartzler, and Marcel Schein.** On the particles initiating high energy penetrating showers—741(L)
Goudsmit, S. A. (see Birkhoff, Robert D.)—199(A)
Gove, Harry (see Boyer, Keith)—228(A)
—— **and Keith Boyer.** Energy spectrum and differential cross sections of (d,p) reactions using 14-Mev deuterons—241(A)
Grabner, Ludwig (see Hughes, Vernon)—314, 829
—— **and Vernon Hughes.** Radiofrequency spectrum of $K^{39}F$ by the electric resonance method—819
Gráf, T. Electron capture/beta-decay ratio in K^{40}—1014(L)
Graham, R. L. (see Bell, R. E.)—194(L)

Greene, Lawrence (see Barbour, Ian)—406(L)
Gregory, B. P. (see Tinlot, J. H.)—205(A)
—— **and J. H. Tinlot.** Production of high energy photons in nuclear interactions of cosmic rays—205(A)
Griffith, G. L., M. E. Remley, and P. G. Kruger. Interaction of 12- to 13-Mev neutrons with deuterons—443
Griffith, Wayland C. Relaxation times for exchange of vibrational energy in gas molecules—235(A)
—— Transonic flow measurements—546(A)
Groetzinger, Gerhart, Lewis B. Leder, Fred L. Ribe, and Martin J. Berger. Study of electron-electron scattering—228(A), 454
—— **and Fred L. Ribe.** Multiple scattering of the particles producing the "positive tracks" appearing near beta-ray emitters—904(L)
Gross, E. P. (see Bohm, D.)—992
Gross, W. and G. Failla. New method of radioactivity measurement—209(A)
Guier, William H. and James H. Roberts. Energy levels in C^{12} from Be^{9} (α,n) C^{12}—719(L)
Guillaud, Charles, W. A. Yager, F. R. Merritt, and C. Kittel. Ferromagnetic resonance in manganese ferrite and the theory of the ferrites—181(L)
Gundlach, J. C. (see Francis, J. E., Jr.)—418(A)
Guth, E. (see Holroyd, L.)—1026(L)
—— (see Mrowca, B. A.)—1026(L)
Guttman, Lester (see Stout, J. W.)—396(L)

Hagemann, French. Properties of Tl^{209}—534(L)
——, **L. I. Katzin, M. H. Studier, G. T. Seaborg, and A. Ghiorso.** $4n+1$ radioactive series: the decay products of U^{233}—435
Hager, Charles (see Hatfield, T. N.)—418(A)
Hall, Harvey. On the evaluation of the Fermi β-distribution function—745(L)
Hall, Theodore. Ratio of cross sections for electron capture and electron loss by proton beams in metals—504
Halpern, J. (see Sher, R.)—241(A)
Halter, J. (see Hamouda, I.)—539(L)
Hamermesh, M. and E. Eisner. Spin of the neutron—888(L)
Hamouda, I., J. Halter, and P. Scherrer. Scattering of 3.27-Mev neutrons by deuterons in the Wilson chamber—539(L)
Hanau, Richard. Recombination of positive ions and electrons—417(A)
Hanna, S. S. (see Neuendorffer, J. A.)—239(A)
Hanson, A. O. (see Lyman, E. M.)—228(A)
—— (see Palevsky, H.)—242(A)
Hansson, Ingvar F. E. Photo-disintegration of the deuteron—909(L)
Harkins, William D. Special and magic numbers as factors in nuclear stability and abundance—724(L)
Harris, G. G. (see Rau, R. Ronald)—206(A), 915
Harris, S. P. Neutron scattering cross sections of the noble gases—219(A)
——, **C. O. Muehlhause, and G. E. Thomas.** Low energy neutron resonance scattering and absorption—11
Harrison, F. B. and G. T. Reynolds. Spectral emission from scintillation solutions and crystals—745(L)
Hart, Edward W. (see Watson, Kenneth M.)—918
Hartman, C. D. (see Molnar, J. P.)—1015(L)
Hartsough, Walter, Milton Hill, and Wilson M. Powell. Deuterons bombarded by 90-Mev neutrons—219(A)
Hartzler, Alfred J. (see Gottlieb, Melvin B.)—204(A), 741(L)
—— **and Melvin B. Gottlieb.** Cloud-chamber observations of showers at an altitude of 11,500 ft.—204(A)
Harvey, J. A. Energy levels in lead, bismuth, and thallium—241(A)
Hatchett, Cresswell and John W. Flowers. Production of high currents electrical discharges over long paths—417(A)
Hatfield, T. N., Fred Morris, and Charles Hager. Phase spectrum in pulse analysis—418(A)
Hauptman, H. and J. Karle. Crystal structure problem—204(A)
Hayden, Richard J. (see Inghram, Mark G.)—271
Haynes, S. K. and D. A. Thomas. Medium resolution lens spectrometer for beta-ray energies from 1 kev to 4.5 Mev—414(T)
Hays, Earl E. (see Birkhoff, Robert D.)—199(A)
Hayward, Raymond W. Beta-spectra of Zn^{62} and Cu^{62}—541(L)
—— Beta-spectrum of Sn^{125}—409(L)
—— Sn^{117} isomeric activity—542(L)
Hazen, W. E. (see Randall, C. A.)—905(L)
Hedgran, Arne (see Deutsch, Martin)—400(L)
Heer, C. V. (see Daunt, J. G.)—46
Hein, R. E. and A. F. Voigt. Radioactive isotopes of gadolinium—783
Heine-Geldern, R. (see Foner, S.)—230(A)
—— (see Pugh, E. M.)—230(A)
——, **E. M. Pugh, and S. Foner.** I. Kerr cell photography of high speed phenomena—detonation and shock phenomena—230(A)
Hemenway, C. L. and F. G. Dunnington. New determination of h/e—887(L)
Hemmendinger, A. (see Jarvis, G. A.)—929
Henderson, Joseph E. (see Miller, Charles E.)—206(A), 459
Henkel, R. L. and H. H. Barschall. Fast neutron capture cross section of Al^{27} as a function of energy—218(A)
Henry, A. F. Zeeman effect in O_2—213(A)
Hereford, Frank L. Correlation between the polarization states of annihilation quanta—228(A)
Herzfeld, Karl F., Emanuel Maxwell, and Russell B. Scott. Isotope effect and lattice properties in superconductivity—911(L)
Hess, David C. (see Inghram, Mark G.)—271
Heybey, W. Solution of Lagrange's problem of interior ballistics by means of its characteristic lines—229(A)
Heydenburg, N. P. (see Whitehead, W. D.)—99
Hibdon, C. T. Neutron cross section at 120 ev and 345 ev—747
—— **and C. O. Muehlhause.** Negative energy neutron resonance in Cl^{35}—44
—— **and C. O. Muehlhause.** Neutron scattering resonance in Cl^{35} at -73 ev—219(A)
Hicks, Harry G. (see Wilkinson, Geoffrey)—815
Hill, David L. Fission of liquid drop nuclear model—197(A)
Hill, Milton (see Hartsough, Walter)—219(A)
Hill, R. D. Decay of Au^{199}—413(L)
—— Nuclear isomerism and shell structure—1021(L)
—— (see Mihelich, J. W.)—781
—— **and J. W. Mihelich.** Successive neutron capture in gold—275
Hipple, J. A. Recent developments in precision mass-spectroscopy and the present status of the method of magnetic resonance—197(T)
Hirschfelder, J. O. and J. L. Magee. Erratum: range-energy relations for protons in substances containing C, H, O, A, and Xe—1005(L)
Hofstadter, R. (see McIntyre, J. A.)—208(A)
—— **and J. A. McIntyre.** Gamma-ray measurements with NaI(Tl) crystals—389(L)
Holden, R. B. (see Taylor, W. J.)—234(A)
Holroyd, L. V. (see Mrowca, B. A.)—1026(L)
——, **B. A. Mrowca, and E. Guth.** Study of high polymers by nuclear magnetism. I. Line widths at room temperature—1026(L)
Holstein, T. Pressure broadening of spectral lines—744(L)
Holt, R. B. High speed spectroscopic and electron-density measurements on gas-discharge plasmas—197(T)
—— (see McClure, B. T.)—232(A)
Hopkins, John I. Electron energy studies with the anthracene scintillation spectrometer—415(A)

Hornbostel, J. (see Fisk, C. B.)—205(A)
—— (see Salant, E. O.)—184(L), 184(L)
Hornig, D. F. (see Lohman, J. B.)—235(A)
Houston, W. V. and N. Muench. Electromagnetic forces on a superconductor—967
Howard, J. N. (see Shaw, J. H.)—1017(L)
Howard, Raydeen (see Smith, William V.)—132
—— **and William V. Smith.** Microwave collision diameters—225(A)
—— **and William V. Smith.** Microwave collision diameters I. Experimental—128
Howe, Robert M. Investigation of a low pressure mercury arc —231(A)
Hrostowski, Henry J. (see Scott, Allen B.)—346
Hsiao, C. (see Seriff, A. J.)—204(A)
Hsiao, L. (see Duffield, R. B.)—1011(L)
Huber, O. (see Frauenfelder, H.)—1029(L)
Huddleston, C. M. (see Mei, J. Y.)—19, 237(A), 237(A), 429, 1010(L)
Hudson, Ralph P. Superconductivity in tin-germanium "alloys"—883(L)
Hughes, A. L. (see Cleland, Marshall R.)—229(A)
Hughes, D. J., M. T. Burgy, and G. R. Ringo. Coherent neutron-proton scattering by liquid mirror reflection—227(A)
Hughes, J. V. Velocity of electromagnetic waves and the dielectric constant of dry air—222(A)
Hughes, R. H. (see Coles, D. K.)—224(A)
Hughes, Vernon (see Grabner, Ludwig)—819
—— **and Ludwig Grabner.** Energy levels, selection rules, and line intensities for molecular beam electric resonance experiments with diatomic molecules—829
—— **and Ludwig Grabner.** Radiofrequency spectrum of $Rb^{86}F$ and $Rb^{87}F$ by the electric resonance method—314
Huizenga, J. R., L. B. Magnusson, O. C. Simpson, and G. H. Winslow. Neutron binding energies—908(L)
Hulburt, E. O. (see Johnson, M. H.)—222(A), 802
Hull, M. H. (see Broyles, A. A.)—247
Hulm, J. K., B. T. Matthias, and E. A. Long. Ferromagnetic Curie point in $KTaO_3$ at very low temperatures—885(L)
Hulthén, Lamek. Neutron-proton capture and coherent scattering amplitudes—166(L)
—— **and P. O. Olsson.** Remarks on the variational method for scattering problems—531(L)
Hung, C. S. Theory of resistivity and Hall effect at very low temperatures—727(L)
—— **and J. R. Gliessman.** Resistivity and Hall effect of germanium at low temperatures—726(L)
—— **and V. A. Johnson.** Resistivity of semiconductors containing both acceptors and donors—535(L)
Hurst, G. S. and R. H. Ritchie. Flat response proportional counter for fast neutrons—415(A)
Hyde, Earl K. (see Jaffey, Arthur H.)—280
Hylleraas, Egil and S. Skavlem. On the magnetic shielding in He and H_2—117

Infeld, L. (see Scheidegger, A. E.)—201(A)
Inghram, Mark G., Richard J. Hayden, and David C. Hess. U^{235} fission yields in the rare-earth region—271
Inglis, D. R. (see Neuendorffer, J. A.)—239(A)
Isaacs, P. (see Martinson, O.)—178(L)
Isenberg, Irvin. Ionization of hydrogen in metals—736(L)
—— Virial theorem and the variation principle—737(L)

Jacques, J. R. and H. A. Jarrell. Observations of the effect of temperature on the luminescence of an alpha-particle excited Wurtzite phosphor—418(A)
Jaffey, Arthur H. (see Freedman, M. S.)—410(L)
—— **and Earl K. Hyde.** Half-life of Pa^{232}—280
James, Hubert M. (see Feuer, Paula)—216(A)
—— **and Guy W. Lehman.** Potential fluctuations in homogeneous semiconductors—216(A)
Jarrell, H. A. (see Jacques, J. R.)—418(A)
Jarvis, G. A., A. Hemmendinger, H. V. Argo, and R. F. Taschek. Reaction constants for $T^3(p,n)He^3$—929
Jastram, Philip S., W. Konneker, and Marshall R. Cleland. Doubtful decay of Au^{198}—243(A)
Jastrow, Robert. On charge independence and high energy scattering—389(L)
Jauch, J. M. (see Coester, F.)—201(A)
Jaynes, Edwin T. Displacement of oxygen in $BaTiO_3$—1008(L)
—— **and E. P. Wigner.** Electronic theory of ferroelectrics—213(A)
Jehle, Herbert. Quantum-mechanical resonance between identical big molecules—200(A)
Jennings, B. (see Sun, K. H.)—3, 197(A)
Jensen, E. N. (see Laslett, L. Jackson)—412(L)
——, **L. J. Laslett, R. T. Nichols, and W. W. Pratt.** Disintegration of Yb^{169}—243(A)
Jensen, J. Hans D. (see Steinwedel, Helmut)—1019(L)
Jensen, Lyle (see Johnston, Herrick L.)—235(A)
Jensen, Peter (see Steinwedel, Helmut)—1019(L)
Jessup, R. S. (see Furukawa, G. T.)—223(A)
Johansson, Stig. Beta-decay of Ag^{111} and spin-orbit coupling in Cd^{111}—896(L)
Johnson, F. S. (see Watanabe, K.)—217(A)
Johnson, M. H. and E. O. Hulburt. Diffusion in the ionosphere —222(A), 802
Johnson, R. A. (see McClure, B. T.)—232(A)
Johnson, V. A. (see Hung, C. S.)—535(L)
—— **and H. Y. Fan.** Temperature dependence of the energy gap in germanium from conductivity and Hall data—899(L)
—— **and K. Lark-Horovitz.** Electronic mobility in germanium —409(L)
—— **and K. Lark-Horovitz.** Theoretical Hall coefficient expressions for impurity semiconductors—176(L)
Johnson, V. R. (see Richards, H. T.)—239(A)
——, **F. Ajzenberg, and M. J. Wilson Laubenstein.** Neutron spectrum for protons on Be^9—187(L)
——, **M. J. W. Laubenstein, and F. Ajzenberg.** Neutron spectrum from proton bombardment of beryllium—239(A)
Johnston, Herrick L. (see Smith, A. Lee)—728(L)
—— (see Taylor, W. J.)—234(A)
—— (see White, David)—235(A), 235(A), 236(A)
——, **Irving J. Bezmann, Thor Rubin, Lyle Jensen, David White, and Abraham S. Friedman.** Gaseous data of state for hydrogen between 1 and 200 atmos. from 20 to 300°K—235(A)
Johnston, Lawrence (see Cork, Bruce)—71
Jones, Emily W. and Joseph W. Straley. Coriolis perturbation in methane—417(A)
Jones, Ernest A. (see Woltz, Patricia J. H.)—416(A)
Jones, Robert and Ely E. Bell. 2.7μ bands of carbon dioxide—1004(L)
Jongen, H. F. (see Clay, J.)—908(L)
Jordan, W. H. (see Bell, P. R.)—392(L)
Jossem, E. L. and L. G. Parratt. Versatile precision bent crystal focusing vacuum x-ray spectrometer—210(A)
Jungerman, J. Fission excitation functions for charged particles—198(A), 632

Kachickas, G. A. and L. H. Fisher. Formative time lags of spark breakdown in oxygen—232(A)
Kahn, F. D. On the origin of the sodium *D* lines during twilight —167(L)
Kallmann, Hartmut and Milton Furst. Fluorescence of solutions bombarded with high energy radiation (energy transport in liquids)—857

Kantrowitz, Arthur. Nucleation in very rapid vapor expansions—547(A)
Karle, J. (see Hauptman, H.)—204(A)
Karplus, Robert and Maurice Neuman. Scattering of light by light—220(A)
Katzin, L. I. (see Hagemann, French)—435
Kaufmann, S. G. (see Shoemaker, F. C.)—228(A)
Keck, J. C., M. Stearns, and R. R. Wilson. Search for gamma-rays from nuclei exposed to synchrotron radiation—199(A)
Keck, Margaret R. (see Corson, Dale R.)—209(A)
Keller, H. B. and J. M. Cork. Electron spectrum of Pa^{233}—1030(L)
Keller, William E. (see Smith, A. Lee)—728(L)
Kelly, E., C. Leith, E. Segrè and C. Wiegand. Experiments on *n-p* scattering with 260-Mev neutrons—96
Kelly, Edward J. Equivalence theorems for meson-nucleon couplings—399(L)
Kenney, Robert (see Blocker, Wade)—419
Kent, C. F. and J. E. Boyd. Probability distributions of the resultants of two or more vibrations—417(A)
Kerst, D. W. (see Adams, G. D.)—208(A)
—— **and G. A. Price.** Yields of photo-neutrons with calorimetrically measured 320-Mev bremsstrahlung—725(L)
Kessler, Karl G. Hyperfine structure of Ni^{61}—167(L)
Kessler, Myer, Harold Ring, Ralph Trambarulo, and Walter Gordy. Microwave spectra and molecular structures of methyl cyanide and methyl isocyanide—54
Ketelle, B. H. (see Brosi, A. R.)—902(L)
—— (see Zeldes, H.)—901(L)
——, **C. M. Nelson, and G. E. Boyd.** Radiations of Sn^{123} and Sn^{125}—242(A)
Kiepenheuer, K.O. Cosmic rays as the source of general galactic radio emission—738(L)
Kikuchi, C. (see Brinkman, J. A.)—226(A)
Kikuchi, Ryoichi. Method of approximation for cooperative phenomena—718(L)
Kilpatrick, John E. Note on the vapor pressure of He^3, He^4 solutions—529(L)
Kimura, Motoharu. Thermal neutron scattering by ammonium chloride—544(L)
Kinnear, J. K. (see More, K. R.)—208(A)
Kinsey, B. B. (see Bartholomew, G. A.)—218(A)
——, **G. A. Bartholomew, and W. H. Walker.** Neutron capture γ-rays from Mg, Si, P, and K—218(A)
Kittel, C. Theory of magnetic dispersion in ferrites—214(A)
—— (see Guillaud, Charles)—181(L)
Kivel, B. (see Broyles, A. A.)—418(A)
Klein, Martin J. and Robert S. Smith. Thin ferromagnetic films—214(A)
Klick, Clifford C. Luminescence of color centers in alkali halides—894(L)
Knight, J. D. (see Burgus, W. H.)—104
Knight, W. D. (see Cohen, V. W.)—191(L)
Knipp, J. K. Ionization yields of heavy particles—197(A)
Knudsen, E. Stenberg (see Bak, B.)—190(L)
Koehler, J. S. and E. Salkovitz. Dislocation model of a kink band—202(A)
Koehler, W. C., E. O. Wollan, and C. G. Shull. Coherent neutron scattering cross sections of nickel and its isotopes—395(L)
Kolsky, H. G., T. E. Phipps, Jr., N. F. Ramsey, and H. B. Silsbee. Radiofrequency spectrum of H_2 in a magnetic field—883(L)
Kondaiah, Evani. Disintegration of Ru^{103}—891(L)
Konneker, Wilfred R. (see Cleland, Marshall R.)—229(A)
—— (see Jastram, Philip S.)—243(A)
——, **S. DeBenedetti, and F. K. McGowen.** Versatile delayed coincidence circuit— 210(A)
Kopecek, J. T. (see Lockenvitz, Arthur E.)—417(A)
Kopfermann, Hans. Isotope shift in atomic spectra of heavy elements—212(T)
Koski, W. S. (see Cohen, V. W.)—191(L)
—— **and C. O. Thomas.** Scintillation spectra of some organic crystals—217(A)
Kraushaar, W. L. (see Williams, R. W.)—207(A)
Kruger, P. G. (see Griffith, G. L.)—443
Krumbein, A. D. Anomalous effect observed in self-quenching counters containing neon—910(L)
Kubitschek, Herbert E. Detection of positron-conjoint nuclear gamma-radiation—23
Kuhn, T. S. Application of the W.K.B. method to the cohesive energy of monovalent metals—515
—— **and J. H. Van Vleck.** Simplified method of computing the cohesive energies of monovalent metals—382
Kurbatov, J. D. (see Cheng, Lin-sheng)—237(A)
—— (see Sorensen, B. N.)—1007(L)
Kusch, P. (see Prodell, A. G.)—1009(L)

La Berge, W. B. (see Coomes, E. A.)—233(A)
Ladenburg, R. and P. Watchell. Interferometric studies of laminar and turbulent boundary layers along a flat plate in supersonic flow—548(A)
Lafferty, J. M. Boride cathodes—1012(L)
Lamb, Willis E., Jr. and Robert C. Retherford, Fine structure of the hydrogen atom. Part I—549
Lane, C. T. (see Fairbank, Henry A.)—211(A)
—— (see Reynolds, Joseph M.)—405(L)
Langer, Lawrence M. (see Bruner, Joseph A.)—236(A), 606
—— (see Moffat, R. D.)—237(A)
——, **R. D. Moffat, and H. C. Price, Jr.** Further investigation of the radioactivity of Sb^{124}—808
Laquer, Henry L. and William E. McGee. Techniques for measuring sound velocities and elastic constants—202(A)
Lark-Horovitz, K. (see Crawford, J. H., Jr.)—889(L)
—— (see Doughty, J.)—203(A)
—— (see Johnson, V. A.)—176(L), 409(L)
Laslett, L. Jackson (see Jensen, E. N.)—243(A)
——, **E. N. Jensen, and A. Paskin.** First forbidden beta-spectra and the beta-spectrum of Sr^{90}-Y^{90}—412(L)
Lassen, N. O. Total charges of fission fragments in gaseous and solid media—1016(L)
Latter, Richard. Finite Wiener-Hopf equations—199(A)
Laubenstein, M. J. Wilson (see Bashkin, S.)—238(A)
—— (see Johnson, V. R.)—187(L), 239(A)
Lauritsen, C. C. (see Chao, C. Y.)—108
Lax, Benjamin. Electromagnetic waves in bounded magneto-ionic media—222(A)
Lax, Melvin. Removal of degeneracy in any order—200(A)
Leachman, R. B. Ionization yields of fission fragments—197(A)
LeBlanc, J. M. (see Cork, J. M.)—238(A), 889(L), 938
—— (see Rutledge, W. C.)—237(A)
Leder, Lewis B. (see Groetzinger, Gerhart)—228(A), 454
Lees, L. Hypersonic flow—546(T)
Lehman, Guy W. (see James, Hubert M.)—216(A)
Leighton, R. B. (see Seriff, A. J.)—204(A)
Leith, C. (see Kelly, E.)—96
Leitner, Alfred and R. D. Spence. Effect of a finite ground-plane on antenna radiation—199(A)
Lennox, E. S. (see Fuchs, M.)—221(A)
Lepore, Joseph V. Polarization of neutrons and protons by scattering—137
Levinstein, Henry (see Marple, D. T. F.)—223(A)
Levy, J. L. (see Beard, G. B.)—209(A)
Liebson, S. H. (see Elliot, J. O.)—393(L)
—— **and R. T. Farrar.** Temperature characteristics of naphthalene-anthracene mixtures—733(L)
Lin, T. C. Effect of variable viscosity and thermal conductivity on the high speed plane Couette flow of a semirarefied gas—547(A)
Linsley, J. (see Ney, E. P.)—206(A)

Lipkin, H. J. and M. G. White. Scattering of positrons and electrons by nuclei—892(L)
Lippmann, B. A. Variational principles for scattering processes. II. Scattering of slow neutrons by parahydrogen—481
—— **and Julian Schwinger.** Variational principles for scattering processes. I—469
Litovitz, T. A. Ultrasonic absorption in glycerol—230(A)
Lockenvitz, Arthur E. and J. T. Kopecek. Specific ionization of air by 10- to 45-kev hydrogen particles—417(A)
Lohman, J. B. and D. F. Hornig. Infra-red spectrum of crystalline hydrogen sulfide—235(A)
Long, Earl A. (see Hulm, J. K.)—885(L)
—— **and Lothar Meyer.** Superfluidity and thermomechanical effect in the adsorbed helium II film—1031(L)
Longmire C. (see Gamow, G.)—743(L)
Lord, J. J., A. W. Elston, and Marcel Schein. Large fluctuation in the rate of production of nuclear disintegrations following a solar flare—540(L)
Low, W. (see Townes, C. H.)—198(A)
—— **and C. H. Townes.** Effect of Fermi resonance on rotation-vibration interaction in OCS and OCSe—224(A)
Lundquist, G. A. Electronic method for determining gas liquefaction in shock tubes by light scattering—230(A)
Lyman, E. M., A. O. Hanson, and M. B. Scott. Elastic scattering of 16.5-Mev electrons—228(A)
Lynton, Ernest A. (see Fairbank, Henry A.)—211(A)
—— **and Henry A. Fairbank.** Velocity of second sound in mixtures of He^3 and He^4—735(L)

Madansky, Leon and Franco Rasetti. Attempt to detect thermal energy positrons—397(L)
Madsen, E. (see Bak, B.)—190(L)
Magee, J. L. (see Hirschfelder, J. O.)—1005(L)
Magnusson, L. B. (see Huizenga, J. R.)—908(L)
Mandeville, C. E. (see Swann, C. P.)—240(A), 598
—— **and H. O. Albrecht.** Detection of scintillations from crystals with a photo-sensitive Geiger-Müller counter—1010(L)
—— **and E. Shapiro.** Radiations from cerium $(144)\xrightarrow{\beta^-}$praseodymium $(144)\xrightarrow{\beta^-}$neodymium (144)—243(A)
—— **and E. Shapiro.** Some characteristics of the 11-day neodymium (147)—391(L)
—— **and C. P. Swann.** Neutrons from the disintegration of C^{13} by deuterons—787
Manfredini, A. (see Bernardini, G.)—952
Mann, L. G. (see Saur, A. J.)—237(A)
Many, Abraham. Low terms of Ti II—531(L)
Margenau, Henry (see Adler, Fred P.)—970
—— **and Stanley Bloom.** Pressure broadening of spectral lines and frequency modulation—213(A)
Marple, D. T. F. and Henry Levinstein. Sitting time of molecules on a hot wire detector—223(A)
Marshak, R. E. (see Ashkin, J.)—266
—— **and A. S. Whitman.** Absorption of π^--mesons by protons—220(A)
Martin, D. (see Richards, H. T.)—239(A)
Martin, Don S., Jr. (see Moses, Alfred J.)—467
Martinson, O., P. Isaacs, H. Brown, and I. W. Ruderman, Rise times of voltage pulses from photo-multipliers—178(L)
Marton, L., J. A. Simpson, and A. Van Bronkhorst. Fringe field observations of domains—215(A)
Matthias, B. T. (see Galt, J. K.)—214(A), 391(L)
—— (see Hulm, J. K.)—885(L)
—— (see Yager, W. A.)—214(A)
Maxwell, Emanuel. Superconductivity of Sn^{124}—173(L)
—— (see Herzfeld, Karl F.)—911(L)
Maxwell, L. R. (see Trounson, E. P.)—226(A), 542(L)
May, J. (see Smaller, B.)—940
Mayburg, Sumner. Effect of pressure on the low frequency dielectric constant of ionic crystals—203(A), 375
Mays, John M. (see Sharbaugh, A. Harry)—189(L)
McClure, B. T., R. A. Johnson, and R. B. Holt. Electron removal in helium afterglows—232(A)
McClure, G. W. and M. A. Pomerantz. Ionization chamber bursts at very high altitudes—911(L)
McCoskey, R. E. (see Furukawa, G. T.)—223(A)
McDaniel, B. D. (see Walker, R. L.)—242(A)
McFee, Raymond H. Temperature variation of properties of photo-sensitive lead sulfide films—203(A)
McGee, William E. (see Laquer, Henry L.)—202(A)
McGehee, F. M., Jr. and E. Scott Barr. Infra-red absorption spectrum of tung oil—416(A)
McGowan, F. K. 5.7×10^{-9}-sec. isomeric state in $_{77}Ir^{191}$—404(L)
—— (see Konneker, W. R.)—210(A)
McIntyre, J. A. (see Hofstadter, R.)—389(L)
—— **and R. Hofstadter.** Gamma-ray spectrometer based on the Compton effect—208(A)
McKeehan, L. W. Ferromagnetic block—739(L)
—— Physical theory of ferromagnetic domains—747(L)
McMahon, Allen J. and Bruno Rossi. Altitude and latitude dependence of bursts in a lead-shielded ion chamber—205(A)
McMillan, Edwin M. Origin of cosmic rays—498
Mc.R. Routly, P. (see Wolfe, Bertram)—1020(L)
Mei, J. Y., C. M. Huddleston, and Allan C. G. Mitchell. Disintegration of Ru^{103}—237(A)
——, **C. M. Huddleston, and Allan C. G. Mitchell.** Disintegration of ruthenium 103 and palladium 103—429
——, **C. M. Huddleston, and Allan C. G. Mitchell.** Gamma-rays of Ag^{105} and Ag^{106}—1010(L)
——, **Allan C. G. Mitchell, and C. M. Huddleston.** Disintegration of As^{72}—19
——, **Allan C. G. Mitchell, and C. M. Huddleston.** Radiations from As^{72} and As^{71}—237(A)
Menzel, D. H. How to write scientific papers—234(T)
Merkle, T. C., Jr., E. L. Goldwasser, and Robert B. Brode. Intensity and masses of cosmic-ray particles—926
Merritt, F. R. (see Guillaud, Charles)—181(L)
—— (see Yager, W. A.)—214(A)
Metzger, Franz. Internal conversion of the gamma-rays from Rh^{106}—398(L)
Meyer, Lothar (see Long, Earl)—1031(L)
Mezzetti, L. and R. Querzoli. On the production of penetrating showers in lead and carbon—168(L)
Mihelich, J. W. (see Hill, R. D.)—275
—— **and R. D. Hill.** Radioactive isomers of Sn^{117} and Sn^{119}—781
Millar, C. H. and A. G. W. Cameron. Ejection of Li^8 nuclei by gamma-rays—182(L)
Miller, B. L. Optimum parameters for particle acceleration by TM 010 cylindrical cavities—209(A)
Miller, Charles E., Joseph E. Henderson, David S. Potter, and Jay Todd. Analysis of the cosmic radiation at 3.4 kilometers into its proton and meson components—206(A)
——, **Joseph E. Henderson, David S. Potter, Jay Todd, Jr., and A. William Wotring.** Magnetic cloud-chamber analysis of cosmic rays at 3.4 kilometers—459
Millsaps, K. Oscillations of magnetic suspensions—418(A)
Minden, H. (see Geschwind S.)—226(A)
Miskel, John A. Genetic relationship in Ag^{110}—403(L)
——, **E. der Mateosian, and M. Goldhaber,** Question of isomerism in Ti^{51}—193(L)
Mitchell, Allan C. G. (see Bunker, Merle E.)—610
—— (see Mei, J. Y.)—19, 237(A), 237(A), 429, 1010(L)
Miyatake, O. (see Yasaki, T.)—740(L)
Moffat, R. D. (see Langer, L. M.)—808
—— **and L. M. Langer.** Disintegration of Ga^{66}—237(A)

Mohler, Fred L., Vernon H. Dibeler, E. J. Wells, Jr., and R. M. Reese. Mass spectra of isotopic hydrogen molecules—223(A)
Molnar, J. P. and C. D. Hartman. Induced absorption bands in MgO crystals—1015(L)
Montgomery, C. G., D. D. Montgomery, and J. A. Northrop. Penetration of particles associated with cosmic-ray stars—293
Montgomery, D. D. (see Montgomery, C. G.)—293
Moon, M. L. (see Waggoner, M. A.)—236(A)
——, **M. A. Waggoner, and A. Roberts.** Internal conversion coefficients of Sc^{46}—905(L)
More, K. R., R. H. Chow, J. K. Kinnear, and S. B. Woods. Radiofrequency ion source for electrostatic generator—208(A)
Morgan, F. H. (see Danforth, W. E.)—142
Morris, Fred J. Dielectric properties of selenium—418(A)
—— (see Hatfield, T. N.)—418(A)
Moses, Alfred J. and Don S. Martin, Jr. Evidence for the formation of Ce^{139} by an n-γ-reaction—467
Moss, T. S. Changes in the activation energy of tellurium—1011(L)
Mozley, R. F. (see Chamberlain, O.)—394(L)
Mrowca, B. A. (see Holroyd, L. V.)—1026(L)
——, **L. V. Holroyd, and E. Guth.** Study of high polymers by nuclear magnetism. II. Line widths through transition temperatures—1026(L)
Muehlhause, C. O. Capture γ-ray multiplicity—219(A)
—— Neutron capture gamma-ray multiplicity—277
—— On spin dependent nuclear "radii"—1002(L)
—— (see Harris, S. P.)—11
—— (see Hibdon, C. T.)—44, 219(A)
Muench, N. (see Houston, W. V.)—967
Munick, R. J. (see Coomes, E. A.)—233(A)
Murakawa, K. Note on the revision of the hyperfine structure of the spectrum of mercury—536(L)
Murphy, E. J. Alternating current conduction in ice—396(L)
—— Hydrogen bond energy from a.c. conduction data on ice—203(A)
Mutschler, E. C. (see Foner, S.)—230(A)
—— (see Pugh, E. M.)—230(A)

Nabarro, F. R. N. Restriction of prismatic punching to a limited class of crystals—894(L)
Nagamatsu, Henry J. Results of recent hypersonic flow research in the Army Ordnance-California Institute of Technology hypersonic wind tunnel—546(T)
Naugle, J. (see Freier, P. S.)—206(A)
Nechaj, J. F. (see Sun, K. H.)—3, 197(A)
Nelson, C. M. (see Ketelle, B. H.)—242(A)
Nelson, R. A. (see Furukawa, G. T.)—223(A)
Nethercot, A. H., Jr. and C. W. Peters. Pressure shift of the inversion frequency of ammonia—225(A)
Neuendorffer, J. A., D. R. Inglis, and S. S. Hanna. Angular yield of deuterons and alphas from the proton bombardment of Be^{9}—239(A)
Neuman, Maurice (see Karplus, Robert)—220(A)
Newell, G. F. Crystal statistics of a two-dimensional triangular Ising lattice—876
Ney, E. P. (see Critchfield, C. L.)—402(L)
—— (see Freier, P. S.)—206(A)
——, **J. Linsley, and P. S. Freier.** Daytime azimuthal effect for heavy nuclei—206(A)
Nichols, R. T. (see Jensen, E. N.)—243(A)
—— (see Pratt, W. W.)—208(A)
Nier, Alfred O. Redetermination of the relative abundances of the isotopes of neon, krypton, rubidium, xenon, and mercury—450
—— (see Roberts, T. R.)—198(A)
Nierenberg, W. A. (see Beard, G. B.)—209(A)
Nieset, Robert T. Role of physics in biology—414(T)
Northrop, J. A. (see Montgomery, C. G.)—293
Noyes, H. P. (see Christian, R. S.)—85

Oberly, J. J. (see Burstein, E.)—217(A), 903(L)
—— **and E. Burstein.** Photo-conductivity of trapped electrons in the alkali halides—217(A)
O'Connell, D. J. (see Bradner, Hugh)—720(L)
Oleksa, Sophie (see Critchfield, C. L.)—402(L)
Olsson, P. O. (see Hulthén, L.)—531(L)
O'Meara, F. E. Gamma-spectrum of Ta^{182}—1032(L)
Orr, J. B. U^{235} in thucholite—401(L)
Osborn, J. A. Susceptibility measurements using the moment balance—214(A)
Osborn, R. K. and L. L. Foldy. Phenomenological theory of exchange currents in nuclei—795
Ovadia, J. (see Saur, A. J.)—237(A)

Page, Lorne A. and W. M. Woodward. Electron-electron scattering—228(A)
Pai, S. I. Axially symmetrical jet mixing of a compressible fluid—547(A)
Pais, A. (see Case, K. M.)—185(L)
—— **and G. E. Uhlenbeck.** On field theories with non-localized action—145
Palevsky, H. and A. O. Hanson. Photo-neutron thresholds for Pb^{206}, Pb^{207}, Pb^{208}—242(A)
Panetti, M. and G. Wataghin. Cosmic-ray intensity in the upper atmosphere—177(L)
Panofsky, Wolfgang K. H. (see Blocker, Wade)—419
—— **and Franklin L. Fillmore.** Scattering of protons by protons near 30 Mev, photographic method—57
Pantchechnikoff, Jacques I. On the nature of a soldered contact on a semiconductor—1027(L)
Parratt, L. G. (see Jossem, E. L.)—210(A)
Parzen, P. and L. Goldstein. Current fluctuations in a d.c. gas discharge plasma—190(L), 231(A)
Paskin, A. (see Laslett, L. Jackson)—412(L)
Pearlstein, E. A. and R. B. Sutton. Mobility of electrons and holes in diamond—907(L)
—— **and R. B. Sutton.** Some phenomena in diamond gamma-ray counters—217(A)
Pecjak, F. A. (see Sun, K. H.)—3, 197(A)
Peelle, R. W. (see Franzen, W.)—209(A), 742(L)
Pekeris, C. L. Zero-point energy of helium—884(L)
Pell, E. M. and D. H. Tomboulian. Interface absorption by evaporated aluminum films at 130 angstroms—210(A)
Pellam, John R. Thermal Rayleigh disk in liquid helium II—212(A)
Penfield, Robert (see Bergmann, Peter G.)—201(A)
—— **and Henry Zatzkis.** Conservation laws in Einstein's theory of gravitation with electromagnetic field—201(A)
Pensak, L. Electron bombardment induced conductivity in selenium—171(L)
Pepper, T. P. (see Allen, K. W.)—238(A)
—— (see Almqvist, E.)—209(A)
—— (see Sanders, J. H.)—238(A)
Perkin, J. L. Angular distribution of protons from the $B(\alpha,p)C,C^{*}$ reaction—175(L)
Perkins, J. F. and A. W. Solbrig, Jr. Empirical method for calculating electron orbits and line shapes for a point source of electrons in a thick-lens beta-ray spectrometer—415(A)
Perlman, I. and T. J. Ypsilantis. Consistency of nuclear radii of even-even nuclei from alpha-decay theory—30
Peshkin, Murray. Scattering of mesons by nucleons—221(A)
Peters, C. W. (see Nethercot, A. H., Jr.)—225(A)
Peterson, R. E. (see Adair, R. K.)—218(A)
——, **R. K. Adair, and H. H. Barschall.** Nuclear energy levels in lead isotopes—935
——, **R. K. Adair, H. H. Barschall, and C. K. Bockelman.** Nuclear energy levels in sulfur—218(A)

——, **H. H. Barschall, and C. K. Bockelman.** Investigation of nuclear energy levels in sulfur—593
Peterson, Vincent Z. Mesons produced in proton-proton collisions—407(L)
Petritz, R. L. and A. J. F. Siegert. On the theory of noise in semiconductors—215(A)
Phillips, G. C. Excitation curves for $B^{10}(d,p)B^{11}$—240(A)
Phipps, T. E., Jr. (see Kolsky, H. G.)—883(L)
Pickup, E. and L. Voyvodic. Emission of neutral radiation in cosmic-ray stars—899(L)
Pidd, R. W. (see Beard, G. B.)—209(A)
Pierce, J. R. Physical aspects of postwar microwave amplifiers—197(T)
Pines, David and David Bohm. Role of plasma oscillations in the description of electron interactions—232(A)
Pirani, F. A. E. and A. Schild. On the quantization of Einstein's gravitational field equations—986
Plotkin, H. H. and J. E. Goldman. Effect of tension on magnetic properties in iron-cobalt—215(A)
Plyler, E. K. (see Benedict, W. S.)—234(A)
Pochapsky, T. E. and S. L. Quimby. Temperature variation of the compressibility of molten sodium—892(L)
Pollard, Ernest (see Bateson, W. O.)—241(A)
Pollock, H. C. (see Baldwin, G. C.)—210(A)
Pomerantz, M. A. (see McClure, G. W.)—911(L)
Porter, Fred T. (see Ter-Pogossian, Michel)—244(A)
Poss, H. L. Note on angular asymmetries in (γ,n) reactions—539(L)
Post, R. F. Decay time and efficiency of a liquid scintillator—735(L)
Potter, David S. (see Miller, Charles E.)—206(A), 459
Pound, R. V. Nuclear electric quadrupole interactions in crystals—685
Powell, Wilson M. (see Hartsough, Walter)—219(A)
Powers, Ruth I. and A. F. Voigt. Half-life of strontium^{90}—175(L)
Pratt, W. W. (see Jensen, E. N.)—243(A)
——, **F. I. Boley, and R. T. Nichols.** Ring focusing in a thin lens magnetic spectrometer—208(A)
Preston, Richard S. (see Duckworth, Henry E.)—188(L), 198(A), 402(L)
Prestwood, R. J. (see Burgus, W. H.)—104
Price, G. A. (see Kerst, D. W.)—725(L)
Price, H. C., Jr. (see Langer, L. M.)—808
Pritchard, Benjamin S. (see Sharbaugh, A. Harry)—189(L)
Proctor, W. G. On the magnetic moments of Tl^{203}, Tl^{205}, Sn^{115}, Sn^{117}, Sn^{119}, Cd^{111}, Cd^{113}, and Pb^{207}—35
Prodell, A. G. and P. Kusch. On the hyperfine structure of hydrogen and deuterium—1009(L)
Pugh, E. M. (see Foner, S.)—230(A)
—— (see Heine-Geldern, R.)—230(A)
——, **R. Heine-Geldern, and E. C. Mutschler.** II. Kerr cell photography of high speed phenomena—metal jet charges—230(A)

Querzoli, R. (see Ageno, M.)—720(L)
—— (see Mezzetti, L.)—168(L)
Quimby, S. L. (see Pochapsky, T. E.)—892(L)
Quinnell, E. H. (see Clement, J. R.)—1028(L)

Racah, G. and N. Zeldes. On the spins of Li^6 and B^{10}—1012(L)
Rainwater, James. Nuclear energy level argument for a spheroidal nuclear model—432
Ramsey, Norman F. Nuclear magnetic moment of scandium^{45}—1010(L)
—— (see Kolsky, H. G.)—883(L)
Randall, C. A., N. Sherman, and W. E. Hazen. Absorption of penetrating cosmic rays underground—905(L)
Rankin, B. (see Bradner, Hugh)—720(L)
Rasetti, Franco (see Madansky, Leon)—397(L)
Rastrup-Andersen, J. (see Bak, B.)—190(L)
Rau, R. Ronald and G. G. Harris. Preliminary results of a cloud-chamber study of the cosmic radiation at an altitude of 90,000 feet—206(A)
—— **and G. G. Harris.** Wide angle sprays produced by cosmic radiation—915
Ravilious, C. F. (see Elliot, J. O.)—393(L)
Read, W. T., Jr. (see Frank, F. C.)—722(L)
Reber, Grote. Galactic radio waves—234(T)
Rediker, R. H. and H. S. Bridge. Absorption measurements on cosmic-ray particles producing nuclear interactions at 10,600 feet—206(A)
Redman, W. C. Angular distributions of ground-state protons from $B^{10}+D$—6
Reed, Ronald L. and M. Dresden. Uncertainty principle for an arbitrary number of variables—200(A)
Reese, R. M. (see Dibeler, V. H.)—223(A)
—— (see Mohler, Fred L.)—223(A)
Remeika, J. P. (see Galt, J. K.)—214(A), 391(L)
Remley, M. E. (see Griffith, G. L.)—443
Retherford, Robert C. (see Lamb, Willis E., Jr.)—549
Reynolds, C. A. (see Serin, B.)—211(A)
Reynolds, D. C. and S. J. Czyzak. Single synthetic zinc sulfide crystals—543(L)
Reynolds, G. T. (see Harrison, F. B.)—745(L)
Reynolds, John H. Mass spectrometric investigation of branching in Cu^{64}, Br^{80}, Br^{82}, and I^{128}—789
—— Mass spectrometric investigation of branching in neutron inducer activities—243(A)
—— New long-lived krypton activity—886(L)
Reynolds, Joseph M. and C. T. Lane. Superconducting bismuth alloys—405(L)
Ribe, Fred L. (see Groetzinger, Gerhart)—228(A), 454, 904(L)
Rice, O. K. Thermodynamics of liquid helium and of He^3-He^4 solutions—1024(L)
Richards, H. T. (see Bashkin, S.)—238(A)
——, **S. Bashkin, D. S. Craig, D. Donahue, V. R. Johnson, and D. Martin.** Yield of scattered protons from Li^7—239(A)
Richardson, J. E. Neutrons from the disintegration of C^{13} by deuterons—415(A)
Richardson, John M. Irreversibility and the statistical mechanical derivation of the equations of hydrodynamics—200(A)
Richman, Chaim (see Cork, Bruce)—71
—— (see Wilcox, H. A.)—198(A)
Riddell, R. J., Jr. On the notion of pressure in a canonical ensemble—200(A)
Ridgway, S. L. Beta-gamma-angular correlation in Rb^{86}, Au^{198}—243(A)
Ring, Harold (see Kessler, Myer)—54
Ringo, G. R. (see Hughes, D. J.)—227(A)
Rink, F. J. Radiofrequency positive ion source—414(A)
Risser, J. R. (see Bonner, T. W.)—240(A)
Ritchie, R. H. (see Hurst, G. S.)—415(A)
Roberts, A. (see Moon, M. L.)—905(L)
—— (see Waggoner, M. A.)—236(A)
Roberts, James H. (see Guier, William H.)—719(L)
Roberts, T. R. and Alfred O. Nier. Ca^{40}-A^{40} mass difference and the radioactivity of K^{40}—198(A)
Robertson, Harry S. and G. H. Dieke. Electrical oscillations in spark discharges—232(A)
Robinson, C. S. (see Adams, G. D.)—208(A)
Rosen, Louis (see Allred, J. C.)—227(A)
—— (see Freier, George D.)—239(A), 721(L)
Rosenbluth, M. N. High energy elastic scattering of electrons on protons—615
Rossi, Bruno (see McMahon, Allen J.)—205(A)
Roth, L. M. (see Doughty, J.)—203(A)
Rubin, Thor (see Johnston, Herrick L.)—235(A)
Ruderman, I. W. (see Martinson, O.)—178(L)
Rudermann, M. (see Finkelstein, R.)—220(A)

Rutledge, W. C. (see Cork, J. M.)—238(A), 889(L), 938
——, **A. E. Stoddard, C. E. Branyan, J. LeBlanc, and J. M. Cork.** 282-day radioactivity in silver 110—237(A)
Ryan, Alden H. Paramagnetic resonance in single crystals of the manganous halides—226(A)

Sabin, R. (see Winckler, J. R.)—656
Sachs, R. G. (see Abery, R.)—220(A)
—— **and L. L. Foldy.** Scattering of gamma-rays by protons—221(A)
Sáenz, A. W. On time-independent integrals of motion of the one-body problem in Dirac theory—1004(L)
Sagalyn, P. (see Brossel, J.)—225(A)
Salam, Abdus. Differential identities in three-field renormalization problem—910(L)
Salant, E. O. (see Fisk, C. B.)—205(A)
——, **J. Hornbostel, C. B. Fisk, and J. E. Smith.** Latitude effects for stars. I. Production rates and prong distributions—184(L)
——, **J. Hornbostel, C. B. Fisk, and J. E. Smith.** Latitude effects for stars. II. Shower particles—184(L)
Salkovitz, E. (see Koehler, J. S.)—202(A)
Sanders, J. H. (see Allen, K. W.)—238(A)
—— (see Almqvist, E.)—209(A)
——, **K. W. Allen, E. Almqvist, J. T. Dewan, and T. P. Pepper.** T+T reaction: II. Energy distribution of the neutrons—238(A)
Sands, M. L. (see Getting, I. A.)—208(A)
Saur, A. J., P. Axel, L. G. Mann, and J. Ovadia. Beta-spectrographic investigation of Ru^{103} and Rh^{103m}—237(A)
Sawyer, G. A. and M. L. Wiedenbeck. Decay constants of K^{40}—490
Sayers, N. D. and K. G. Emeleus. Wave-length of the trans-auroral line of oxygen—166(L)
Schaaf, S. A. (see Folsom, R. G.)—546(T)
Scharff-Goldhaber, G. (see Sunyar, A. W.)—181(L)
Scheidegger, A. E. and L. Infeld. Gravitational radiation and motion—201(A)
Schein, Marcel (see Forbush, Scott E.)—501
—— (see Gottlieb, M. B.)—741(L)
—— (see Lord, J. J.)—540(L)
Scherrer, P. (see Hamouda, I.)—529(L)
Schild, A. (see Pirani, F. A. E.)—986
Schiller, Ralph (see Bergmann, Peter G.)—201(A)
Schwarz, Guenter (see Bearden, J. A.)—674
Schwertz, F. A. and Jeanne E. Brow. Diffusivity of water vapor in some common gases—223(A)
Schwinger, Julian (see Lippmann, B. A.)—469
Scott, Allen B. and Lamar P. Bupp. Equilibrium between *F*-centers and higher aggregates in KCl—341
——, **Henry J. Hrostowski, and Lamar P. Bupp.** Paramagnetism of color centers in KCl—346
Scott, M. B. (see Lyman, E. M.)—228(A)
Scott, Russell B. (see Herzfeld, Karl F.)—911(L)
Seaborg, Glenn T. (see Batzel, Roger E.)—528(L)
—— (see Hagemann, French)—435
—— (see Street, K., Jr.)—530(L)
Segrè, E. (see Kelly, E.)—96
Seitz, Frederick. Generation of vacancies by dislocations—1002(L)
—— Note on the theory of resistance of a cubic semiconductor in a magnetic field—372
—— On the formation of dislocations from vacancies—890(L)
—— On the nature of V-centers in the alkali halides—529(L)
—— Prismatic dislocations and prismatic punching in crystals—723(L)
—— Spiral prismatic dislocations and the origin of slip bands—1003(L)
—— (see Castellan, G. W.)—216(A)
—— (see Fröhlich, H.)—526
Seriff, A. J., R. B. Leighton, C. Hsiao, E. W. Cowan, and C. D. Anderson. On the new unstable cosmic-ray particles—204(A)
Serin, B. (see Garfunkel, M. P.)—211(A)
——, **C. A. Reynolds, and M. P. Garfunkel.** Experiment with alternating currents on tin superconductors. II—211(A)
Shamos, M. H. (see Zar, Jacob L.)—207(A)
Shapiro, B. (see Doughty, J.)—203(A)
Shapiro, E. (see Mandeville, C. E.)—243(A), 391(L)
Sharbaugh, A. Harry, Benjamin S. Pritchard, Virginia G. Thomas, John M. Mays, and Benjamin P. Dailey. Microwave rotational spectrum and structure of bromogermane—189(L)
Shaw, J. H., R. M. Chapman, and J. N. Howard. Improved map of the solar spectrum between 9 and 10μ—1017(L)
Shaw, R. Explicit representation of the flow in the region of interaction of two arbitrary simple waves in one-dimensional compressible fluid flow—547(A)
Shea, Ruth C. and Gladys A. Anslow. Effect of aging and of heat treatment on the infra-red and ultraviolet spectra of urea—234(A)
Sher, R., J. Halpern, and W. E. Stephens. Formation of N^{17} by gamma-ray bombardment of O^{18}—241(A)
Sheridan, John (see Gordy, Walter)—224(A)
—— **and Walter Gordy.** Microwave spectrum of methyl bromo-acetylene—224(A)
—— **and Walter Gordy.** Nuclear quadrupole moment of N^{14} and the structure of nitrogen trifluoride from microwave spectra—513
Sheriff, Robert E. and Dudley Williams. Nuclear magnetic moment of scandium^{45}—175(L)
Sherman, N. (see Randall, C. A.)—905(L)
Sherr, R. (see Franzen, W.)—209(A), 742(L)
Shockley, W. Effect of magnetic fields on conduction—"tube integrals"—191(L)
—— Fundamental processes of magnetization shown by movies—215(T)
Shoemaker, F. C., J. E. Faulkner, S. G. Kaufmann, and G. M. B. Bouricius. Scattering and capture of protons by aluminum—228(A)
Shull, C. G. (see Koehler, W. C.)—395(L)
Siegel, Keeve M. Incompressible, ideal, subsonic flow past an infinite cone—229(A)
Siegert, A. J. F. (see Petritz, R. L.)—215(A)
Silsbee, H. B. (see Kolsky, H. G.)—883(L)
Simon, Albert. Bremsstrahlung in high energy nucleon-nucleon collisions—573
Simpson, J. Arol. Quantitative field mapping by the electron optical shadow method—215(A)
—— (see Marton, L.)—215(A)
Simpson, O. C. (see Huizenga, J. R.)—908(L)
Singer, S. F. (see Van Allen, J. A.)—206(A)
Sinha, M. S. Mixed shower of nuclear origin—1025(L)
Sitte, K. On penetrating showers and meson production—204(A)
Skavlem, S. (see Hylleraas, Egil)—117
Skinner, W. C. and F. G. Slack. Ultrafiltration experiments with silver membranes—417(A)
Slack, F. G. (see Skinner, W. C.)—417(A)
Sloth, E. N. (see Duffield, R. B.)—1011(L)
Smaller, B., J. May, and M. Freedman. Scintillation studies on potassium iodide—940
Smelt, R. Recent research at the Naval Ordnance Laboratory on hypersonic flow—546(T)
Smith, A. Lee, William E. Keller, and Herrick L. Johnston. Infra-red spectra of condensed oxygen and nitrogen—728(L)
Smith, D. F., M. Tidwell, and D. V. P. Williams. Microwave spectrum of BrCl—1007(L)
Smith, E. C. and J. W. Beams. High constant speed rotating mirror—222(A)

Smith, J. E. (see Fisk, C. B.)—205(A)
—— (see Salant, E. O.)—184(L), 184(L)
Smith, Robert S. (see Klein, Martin J.)—214(A)
Smith, William V. (see Burkhalter, James H.)—224(A), 651
—— (see Howard, Raydeen R.)—128, 225(A)
—— **and Raydeen Howard.** Microwave collision diameters II. Theory and correlation with molecular quadrupole moments—132
Snoddy, L. B. (see Clark, G. W.)—232(A)
Snyder, Hartland S. Quantum field theory—520
Solbrig, A. W., Jr. (see Perkins, J. F.)—415(A)
Solomon, A. K. Half-life of sodium 24—403(L)
Sorensen, B. N., B. M. Dale, and J. D. Kurbatov. Disintegration scheme of scandium^{46}—1007(L)
Spence, R. D. (see Leitner, Alfred)—199(A)
Sperduto, A. (see Buechner, W. W.)—262
—— (see Van Patter, D. M.)—900(L)
Spetner, L. M. (see Williams, R. W.)—207(A)
Spitzer, L., Jr. (see Wolfe, Bertram)—1020(L)
Sponer, H. (see Cooper, C. D.)—235(A)
Squire, Charles F. Recent research in low temperature physics—414(T)
Staker, William P. and W. O. Davis. Latitude dependence of atmospheric neutrons at high altitudes—207(A)
Stearns, M. B. (see Keck, J. C.)—199(A)
—— (see Walker, R. L.)—242(A)
Steele, M. C. (see Webber, R. T.)—1028(L)
Steinberger, J. (see Chamberlain, O.)—394(L)
Steinwedel, Helmut and Michael Danos. Proton density variation in nuclei—1019(L)
——, **J. Hans D. Jensen, and Peter Jensen.** Nuclear dipole vibrations—1019(L)
Stephens, W. E. (see Sher, R.)—241(A)
Stevens, V. J. Hypersonic research facilities at the Ames Aeronautical Laboratory—546(T)
Stevens, W. H. (see Yaffe, L.)—893(L)
Stever, H. G. Effect of thermal radiation on hypersonic flow in wind tunnels and free flight—546(T)
Stinchcomb, Thomas B. (see Forbush, Scott E.)—501
Stix, T. (see Winckler, J. R.)—656
Stoddard, A. E. (see Cork, J. M.)—238(A), 889(L), 938
—— (see Rutledge, W. C.)—237(A)
Stone, Orville. Electron injection gun for the M.I.T. 350-Mev synchrotron—209(A)
Storrs, C. L., Jr. (see Cooper, D. I.)—208(A)
Storruste, A. Neutron-induced radioactivity in palladium—193(L)
Stout, J. W. and Lester Guttman. Meissner effect in superconducting alloys of indium and thallium—396(L)
Strait, E. N. (see Buechner, W. W.)—262
—— (see Van Patter, D. M.)—900(L)
——, **D. M. Van Patter, and W. W. Buechner.** Ground state of B^{12} from the $B^{11}(d,p)B^{12}$ reaction—240(A)
Straley, Joseph W. (see Jones, Emily W.)—417(A)
—— **and Morita Crymes.** Liquid prism photoelectric Raman spectrograph—416(A)
Stratton, T. F. (see Freier, George D.)—239(A), 721(L)
Strauch, Karl. Isomerism in Co^{58}—487
—— Nuclear reactions induced by high energy x-rays—241(A)
Street, K., Jr., A. Ghiorso, and G. T. Seaborg. Isotopes of americium—530(L)
Strumski, C. J. (see Cooper, D. I.)—208(A)
Studier, M. H. (see Hagemann, French)—435
Stump, Robert and Sherman Frankel. β-γ-angular correlation measurements—243(A)
Sturrock, P. A. Theorem on the focusing of electron beams in magnetic fields of certain "mirror" symmetry, with two corollaries, one on the fringe effect—215(A)
Sugarman, Nathan. Photo-fission of bismuth—532(L)
Sun, K. H., R. A. Charpie, F. A. Pecjak, B. Jennings, J. F. Nechaj, and A. J. Allen. Delayed neutrons from U^{235} and Th^{232} fission—3, 197(A)
Sunyar, A. W., D. Alburger, G. Friedlander, M. Goldhaber, and G. Scharff-Goldhaber. Isomerism in Pb^{204} and "memory" in angular correlation—181(L)
Sutton, R. B. (see Pearlstein, E. A.)—217(A), 907(L)
Swann, C. P. (see Mandeville, C. E.)—787
—— **and C. E. Mandeville.** Nuclear energy levels in nitrogen (14) and aluminum (27)—240(A)
——, **C. E. Mandeville, and W. D. Whitehead.** Neutrons from the disintegration of the separated isotopes of magnesium by deuterons—598
Swann, W. F. G. On certain matters pertaining to electrets—213(A)
Sweeney, D. (see Goldstein, L.)—218(A)
Swenson, C. A. Liquid-solid transformation in helium near absolute zero—626
Swift, C. J. Extrapolation of the geomagnetic potential—222(A)
Swope, I. G. (see Getting, I. A.)—208(A)

Taft, E. (see Apker, L. A.)—964
Tamor, Stephen. Absorption of π^--mesons by deuterons—221(A)
Taschek, R. F. (see Jarvis, G. A.)—929
Taylor, H. S. Adsorption, catalysis, and the physics of surfaces—197(T)
Taylor, W. J., C. W. Beckett, J. Y. Tung, R. B. Holden, and H. L. Johnston. Raman and infra-red spectra of pentaborane—234(A)
Temmer, G. M. Scattering of 250-Mev protons from nucleons within nuclei—227(A)
Ter-Pogossian, Michel, Fred T. Porter, and C. Sharp Cook. System for the study of short-lived radioactive gases—244(A)
Terrell, James. Pair spectrometer investigation of high energy gamma-rays—415(A)
—— Pair spectrum of gamma-rays from polonium-beryllium—239(A)
Thaler, W. J. (see Fitzpatrick, J. A.)—231(A)
Thirring, W. Quantization of higher order equations—703
Thomas, C. O. (see Koski, W. S.)—217(A)
Thomas, D. A. (see Haynes, S. K.)—414(T)
Thomas, G. E. (see Harris, S. P.)—11
Thomas, J. E., Jr. (see Getting, I. A.)—208(A)
Thomas, Virginia G. (see Sharbaugh, A. Harry)—189(L)
Thomsen, John S. and T. H. Berlin. Phase transition due to dipole interaction in a simple cubic crystal—203(A)
Thulin, Sigvard (see Bergström, Ingmar)—537(L), 538(L)
Thurn, H. (see Bothe, W.)—544(L)
Tidwell, M. (see Smith, D. F.)—1007(L)
Ting, Yu, Roy C. Weidler, and Dudley Williams. Effective g-values of various paramagnetic ions—226(A)
Tinlot, J. H. (see Gregory, B. P.)—205(A)
—— **and B. P. Gregory.** Cross sections for nuclear collisions of protons and π-mesons—205(A)
Tiomno, J. (see Yang, C. N.)—495
Todd, Jay, Jr. (see Miller, Charles E.)—206(A), 459
Tollestrup, A. V. (see Chao, C. Y.)—108
Tomboulian, D. H. (see Pell, E. M.)—210(A)
Tomkins, Frank S. (see Fred, Mark)—212(A)
Tongiorgi, V. Cocconi (see Cocconi, G.)—730(L), 768
Tousey, R. (see Watanabe, K.)—217(A)
Townes, C. H. (see Geschwind, S.)—226(A)
—— (see Low, W.)—224(A)
—— **and W. Low.** Evidence from nuclear masses on proposed closed shells at 20 nucleons—198(A)
Trambarulo, Ralph (see Kessler, Myer)—54
—— **and Walter Gordy.** Microwave spectra and molecular constants of CD_3NC and CD_3CN—224(A)

Trounson, E. P., D. F. Bleil, and L. R. Maxwell. Magnetic resonance absorption in chromium sesquioxide—226(A)
——, **D. F. Bleil, R. K. Wangsness, and L. R. Maxwell.** Magnetic resonance in antiferromagnetic materials near the Curie temperature—542(L)
Truesdell, C. Vorticity averages—229(A)
Tung, J. Y. (see Taylor, W. J.)—234(A)

Uhlenbeck, G. E. (see Falkoff, David L.)—323, 334
—— (see Pais, A.)—145

Van Allen, J. A. and A. V. Gangnes. On the azimuthal asymmetry of cosmic-ray intensity above the atmosphere at the geomagnetic equator—51
—— **and S. F. Singer.** Total primary cosmic-ray energy at the geomagnetic equator—206(A)
Van Asselt, Robert and Dudley Williams. Further studies of infra-red absorption by homopolar diatomic molecules—1016(L)
Van Bronkhorst, A. (see Marton, L.)—215(A)
Van Patter, D. M. (see Buechner, W. W.)—240(A), 262
—— (see Strait, E. N.)—240(A)
——, **A. Sperduto, E. N. Strait, and W. W. Buechner.** Magnetic analysis of the $B^{10}(p,\alpha)Be^{7}$ reaction—900(L)
Van Tuyl, A. H. On nearly glancing reflection of weak shocks—230(A)
Van Vleck, J. H. (see Kuhn, T. S.)—382
Varnerin, Lawrence J., Jr. and Sanborn C. Brown. Microwave determinations of average electron energies and the first Townsend coefficient in hydrogen—946
Villars, F. On the energy-momentum tensor of the electron—122
Voigt, A. F. (see Hein, R. E.)—783
—— (see Powers, Ruth I.)—175(L)
Volger, J. Note on the Hall potential across an inhomogeneous conductor—1023(L)
von Dardel, Guy. Precision determination of the half-life of radium *C'*—734(L)
Voyvodic, L. (see Pickup, E.)—899(L)

Waggoner, M. A. (see Moon, M. L.)—905(L)
——, **M. L. Moon, and A. Roberts.** Internal conversion coefficients in Co^{60}—236(A)
Wagner, F., Jr. (see Freedman, M. S.)—410(L)
Walker, J. G. (see Bozorth, R. M.)—888(L)
Walker, R. L. Gamma-ray spectra from B^{10}, B^{11}, and Be^{9} under proton bombardment—172(L)
——, **B. D. McDaniel, and M. B. Stearns.** Neutron yields from photo-disintegration by 17.6-Mev gamma-rays—242(A)
Walker, W. H. (see Bartholomew, G. A.)—218(A)
—— (see Kinsey, B. B.)—218(A)
Wallace, J. R. (see Blair, J. Morris)—28
Walske, M. C. (see Bethe, H. A.)—413(L)
Wangsness, R. K. (see Bleil, D. F.)—227(A)
—— (see Trounson, E. P.)—542(L)
Wannier, G. H. Antiferromagnetism. The triangular Ising net—357
Wantuch, Ernest. Neutron-deuteron scattering at 4.5 and 5.5 Mev—729(L)
Ward, J. C. Convergent non-linear field theory—406(L)
Wataghin, G. (see Garelli, C. M.)—718(L)
—— (see Panetti, M.)—177(L)
Watanabe, K., F. S. Johnson, and R. Tousey. Constant quantum efficiency of some luminescent materials in the vacuum ultraviolet—217(A)
Watchell, P. (see Ladenburg, R.)—548(A)
Watson, Kenneth M. (see Brueckner, K. A.)—187(L)
—— **and Edward W. Hart.** On the use of the Tomonaga intermediate coupling method in meson theory—918
Watson, W, W. (see Zucker, A.)—241(A)
Waymouth, J. F., Jr. Deterioration of oxide-coated cathodes under low duty-factor operation—233(A)
Webber, R. T. and M. C. Steele. Thermoelectromotive force of tin at the superconducting-normal junction—1028(L)
Wei, J. P. N. Narrow air showers of cosmic rays. II. Absorption measurements—670
Weidler, Roy C. (see Ting, Yu)—226(A)
Weimer, David. Supersonic flow in a shock tube—546(A)
Weimer, Paul K. Photo-conductivity in amorphous selenium—171(L)
Weinstein, M. S. and W. C. Wineland. Transmission and reflection of ultrasonic waves from a solid plate in water—416(A)
Wells, E. J., Jr. (see Dibeler, V. H.)—223(A)
—— (see Mohler, Fred L.)—223(A)
Welton, T. A. Photo-alpha-reactions in light nuclei—241(A), 399(L)
Wentink, T., Jr. (see Cohen, V. W.)—191(L)
Wentzel, Gregor. μ-pair theories and the π-meson—710
Wert, C. A. Diffusion coefficient of C in α-iron—601
—— (see Dijkstra, L. J.)—979
Wexler, Aaron and W. S. Corak. Superconductivity of vanadium—737(L)
Whaling, Ward and T. W. Bonner. Disintegration of Li^{6} by deuterons—258
—— **and J. W. Butler.** Neutrons from the bombardment of Li^{6} by deuterons—414(A)
White, D. R. (see Bleakney, W.)—546(A)
White, David. Second virial coefficients of non-polar binary gas mixtures—236(A)
—— (see Johnston, Herrick L.)—235(A)
——, **Abraham S. Friedman, and Herrick L. Johnston.** Forces of interaction in a solution of two non-polar gases: hydrogen and nitrogen—235(A)
——, **Abraham S. Friedman, and Herrick L. Johnston.** Intermolecular force constants for hydrogen and for nitrogen—235(A)
—— **and Herrick L. Johnston.** Intermolecular force constants for helium and for deuterium—236(A)
White, M. G. (see Lipkin, H. J.)—892(L)
Whitehead, M. N. (see Wilcox, H. A.)—198(A)
Whitehead, W. D. Low energy neutron spectrum from $Li^{7}(d,n)Be^{8}$—393(L)
—— Neutrons from the disintegration of Li^{7} by deuterons—239(A)
—— Scattering of protons by carbon—1022(L)
—— (see Swann, C. P.)—598
—— **and N. P. Heydenburg.** Proton groups from the deuteron bombardment of aluminum, sodium, and manganese—99
Whitman, A. S. (see Marshak, R. E.)—220(A)
Widgoff, M. (see Cocconi, G.)—768
Wiedenbeck, M. L. (see Beyster, J. R.)—169(L), 411(L), 728(L)
—— (see Sawyer, G. A.)—490
Wiegand, Clyde (see Chamberlain, Owen)—81, 394(L)
—— (see Kelly, E.)—96
Wightman, A. S. (see Wolfe, Bertram)—1020(L)
Wigner, E. P. (see Feingold, A. M.)—221(A)
—— (see Jaynes, E. T.)—213(A)
Wilcox, H. A., W. F. Cartwright, C. Richman, and M. N. Whitehead. Technique for measuring meson production cross sections in the forward direction—198(A)
Wilkinson, Geoffrey. Note on 11.5-day Tl^{202}—1014(L)
—— **and Harry G. Hicks.** Radioactive isotopes of the rare earths. III. Terbium and holmium isotopes—815
Wilkinson, Michael K. Crystallographic variations in field emission from single tungsten crystals—233(A)
Williams, D. V. P. (see Smith, D. F.)—1007(L)
Williams, Dudley (see Sheriff, Robert E.)—175(L)
—— (see Ting, Yu)—226(A)
—— (see Van Asselt, Robert)—1016(L)

Williams, F. C. (see Chance, B.)—244(A)
Williams, Quitman and Walter Gordy. Microwave spectrum of bromoform and phosphorus tribromide—225(A)
Williams, R. W., L. M. Spetner, W. L. Kraushaar, and H. W. J. Courant. Cloud chamber triggered by internal scintillation counter—207(A)
Wilson, H. W. Radioactivity of Ni^{59} and Ni^{63}—1032(L)
Wilson, Richard. Cross-over transitions in Ir^{194}, Ag^{110}, Cs^{134}—1004(L)
Wilson, Robert R. Monte Carlo calculations of showers in lead—204(A)
—— (see Keck, J. C.)—199(A)
Winckler, J. R., T. Stix, K. Dwight, and R. Sabin. Directional and latitude survey of cosmic rays at high altitudes—656
Wineland, W. C. (see Weinstein, M. S.)—416(A)
—— **and Clyde B. Crawley.** Theory of models of acoustical systems—416(A)
Winslow, G. H. (see Huizenga, J. R.)—908(L)
Wirtz, K. (see Gierer, A.)—906(L)
Witmer, Enos E. Integral relationships between atomic and nuclear quantities—198(A)
Wolfe, Bertram, P. Mc.R. Routly, A. S. Wightman, and L. Spitzer, Jr. Acceleration of dust grains by supernovae—1020(L)
Wollan, E. O. (see Koehler, W. C.)—395(L)
Woltz, Patricia J. H. and Ernest A. Jones. Some new measurements on the infra-red and Raman spectra of SiF_4—416(A)
Wood, E. A. (see Yager, W. A.)—214(A)
Woodcock, Karl S. (see Duckworth, Henry E.)—188(L), 198(A)
Woods, S. B. (see More, K. R.)—208(A)
Woodward, W. M. (see Page, Lorne A.)—228(A)
Wotring, A. William (see Miller, Charles E.)—459
Wright, Byron T. (see Faris, F. E.)—577
Wright, S. Courtenay. Li^8 splinters from nuclear bombardments—838
Wrinch, Dorothy. Vector functions for uniform spheres and spherical shells—203(A)
Yadoff, Oleg. On the state of conductivity created in a liquid isolator under the action of an electric dispersive field—223(A)
Yaffe, L. and W. H. Stevens. Reaction $C^{14}(n,\gamma)C^{15}$—893(L)
Yager, W. A. (see Guillaud, Charles)—181(L)
——, **J. K. Galt, F. R. Merritt, E. A. Wood, and B. T. Matthias.** Ferromagnetic resonance in single crystals of nickel ferrite—214(A)
Yagoda, Herman. Emulsion chamber—a new photographic tool for the study of ionizing particle tracks—207(A)
Yang, C. N. and David Feldman. S-matrix in the Heisenberg representation—972
—— **and J. Tiomno.** Reflection properties of spin $\frac{1}{2}$ fields and a universal Fermi-type interaction—495
Yasaki, T. and O. Miyatake. Note on asymmetric fission—740(L)
Yeater, M. L. (see Gaerttner, E. R.)—401(L)
York, Herbert. Gamma-rays from nuclear collisions—207(T)
Ypsilantis, T. J. (see Perlman, I.)—30
Yu, Yi-Yuan. Breaking of waves by an opposing current—546(A)

Zar, Jacob L. and M. H. Shamos, On the zenith angle and energy dependence of mesons at sea level—207(A)
Zatzkis, Henry (see Bergmann, Peter G.)—201(A)
—— (see Penfield, Robert)—201(A)
Zeldes, H. (see Brosi, A. R.)—902(L)
——, **B. H. Ketelle, and A. R. Brosi.** Radiations of krypton^{85}—901(L)
Zeldes, N. (see Racah, G.)—1012(L)
Zemansky, M. W. (see Cook, D. B.)—212(A), 1021(L)
Zilsel, P. R. Liquid helium II: the hydrodynamics of the two-fluid model—309
Zucker, A. and W. W. Watson. Concentration of argon 36 and study of the $A^{36}(d,p)A^{37}$ reactions—241(A)
Zünti, W. (see Frauenfelder, H.)—1029(L)

Analytic Subject Index to Volume 79

References with (A) are to abstracts of papers presented at meetings of the American Physical Society, References with (L) are to Letters to the Editor.

Absorption of radiation
Infra-red absorption in Si and Ge, J. Bardeen—216(A)
By KCl, *F*-centers and aggregates, Allen B. Scott and Lamar P. Bupp—341
Acoustics
Models, theory, W. C. Wineland and Clyde B. Crawley—416(A)
Transmission, reflection of ultrasonic waves, M. S. Weinstein and W. C. Wineland—416(A)
Ultrasonic absorption in glycerol, T. A. Litovitz—230(A)
Velocities of ultrasonic waves in liquids, David Ener—231(A)
Aerodynamics (see also **Hydrodynamics**)
Axially symmetric flows, Bertrand des Clers and Chieh-Chien Chang—547(A)
Alloys (see **Crystalline state**)
Astrophysics
Hydromagnetic equations, Walter M. Elsasser—183(L)
Red giants and cepheid variables, G. Gamow and C. Longmire—743(L)
Na *D* lines during twilight, origin, F. D. Kahn—167(L)
Source of galactic radio emission, cosmic rays, K. O. Kiepenheuer—738(L)
Wave-length of transauroral line of oxygen, N. D. Sayers and K. G. Emeleus—166(L)
Atmosphere (see **Meteorology**)
Atomic structure (see also **Energy states of atoms; Spectra**)
Fine structure of hydrogen atom, Willis E. Lamb, Jr. and Robert C. Retherford—549

Biophysics
Cavitation in biological suspensions, Eugene Ackerman—231(A)
Bremsstrahlung (see also **Radiation**)
In nucleon-nucleon collisions, Albert Simon—573
Transition curves, Wade Blocker, Robert Kenney, and Wolfgang K. H. Panofsky—419
Broadening of spectral lines
Of ammonia lines, Raydeen R. Howard and William V. Smith—128
Broadening and frequency modulation, Henry Margenau and Stanley Bloom—213(A)
Inversion frequency of ammonia, A. H. Nethercot, Jr. and C. W. Peters—225(A)
Microwave collision diameters, Raydeen R. Howard and William V. Smith—225(A)
Pressure broadening, T. Holstein—744(L)

Cold emission (see **Field currents**)
Conductivity, electrical (see **Electrical conductivity and resistance; Discharge of electricity in gases**)
Constants, physical standards
Atomic and nuclear quantities, integral relationships, Enos E. Witmer—198(A)
h/e, C. L. Hemenway and F. G. Dunnington—887(L)
h/e by x-rays, J. A. Bearden and Guenter Schwarz—674
Rydberg constant, Raymond T. Birge—193(L); Erratum—1005(L)
Cosmic radiation
Absorption at 10,600 ft., R. H. Rediker and H. S. Bridge—206(A)
Annihilation process for negative protons, J. Ashkin, T. Auerbach, and R. Marshak—266
Azimuthal asymmetry above atmosphere, primary radiation, J. A. Van Allen and A. V. Gangnes—51
Bursts at very high altitudes, G. W. McClure and M. A. Pomerantz—911(L)
Bursts in lead-shielded chamber, altitude and latitude dependence, Allen J. McMahon and Bruno Rossi—205(A)
Cascades of nuclear disintegrations, G. Cocconi, V. Cocconi Tongiorgi, and M. Widgoff—768
Cloud chamber at 90,000 ft., R. Ronald Rau and G. G. Harris—206(A)
Coincidence efficiency of gamma-rays, J. M. Barnothy and M. Forro—199(A)
Cross sections for collisions of protons and π-mesons, J. H. Tinlot and B. P. Gregory—205(A)
Directional and latitude survey, high altitudes, J. R. Winckler, T. Stix, K. Dwight, and R. Sabin—656
Dust grains, acceleration by supernovae, Bertram Wolfe, P. Mc.R. Routly, A. S. Wightman, and L. Spitzer, Jr.—1020(L)
Electrons at end of μ-meson tracks, William F. Fry—893(L)
Electrons in primaries, C. L. Critchfield, E. P. Ney, and Sophie Oleksa—402(L)
Emulsion chamber, ionizing particle tracks, Herman Yagoda—207(A)
Extensive air showers, G. Cocconi—1006(L)
Fluctuation in rate of production of nuclear disintegrations following solar flare, J. J. Lord, A. W. Elston, and Marcel Schein—540(L)
Heavy nuclei, azimuthal effect, E. P. Ney, J. Linsley, and P. S. Freier—206(A)
Heavy nuclei, nighttime flux, P. S. Freier, E. P. Ney, J. Naugle, and G. Anderson—206(A)
Intensity increase and solar activity, Scott E. Forbush, Thomas B. Stinchcomb, and Marcel Schein—501
Latitude effects for stars, production rates, E. O. Salant, J. Hornbostel, C. B. Fisk, and J. E. Smith—184(L)
Latitude effects for stars, shower particles, E. O. Salant, J. Hornbostel, C. B. Fisk, and J. E. Smith—184(L)
Magnetic cloud chamber at 3.4 km, Charles E. Miller, Joseph E. Henderson, David S. Potter, Jay Todd, Jr., and A. William Wotring—459
Mesons and protons at sea level, T. C. Merkle, Jr., E. L. Goldwasser, and Robert B. Brode—926
Mesons and protons at several altitudes and latitudes, Marcello Conversi—749
μ-mesons stopped in Al foils, W. Y. Chang—205(A)
Narrow air showers, J. P. N. Wei—670
N-component in extensive showers, G. Cocconi and V. Cocconi Tongiorgi—730(L)
Neutron production, altitude dependence, W. B. Fowler—178(L)
Neutrons at high altitudes, latitude dependence, W. P. Staker and W. O. Davis—207(A)
Nuclear evaporation, absorption of nucleonic component, G. Bernardini, G. Cortini, and A. Manfredini—952
Origin, Edwin M. McMillan—498; C. Y. Fan—912(L)
Particles associated with stars, penetration, C. G. Montgomery, D. D. Montgomery, and J. A. Northrop—293
Particles initiating penetrating showers, M. B. Gottlieb, A. J. Hartzler, and Marcel Schein—741(L)
Penetrating showers and meson production, K. Sitte—204(A)
Penetrating showers, cloud-chamber study, Melvin B. Gottlieb and Alfred J. Hartzler—204(A)
Penetrating showers in Pb and C, L. Mezzetti and R. Querzoli—168(L)

Cosmic radiation (continued)
Photons of high energy, B. P. Gregory and J. H. Tinlot—205(A)
π- and μ-meson production, Giulio Ascoli—812
Primary energy at geomagnetic equator, J. A. Van Allen and S. F. Singer—206(A)
Proton and meson components at 3.4 km, Charles E. Miller, Joseph E. Henderson, David S. Potter, and Jay Todd—206(A)
Shape of Rossi curve, W. Bothe and H. Thurn—544(L)
Shower of nuclear origin, M. S. Sinha—1025(L)
Showers at 11,500 ft., cloud chamber, Alfred J. Hartzler and Melvin B. Gottlieb—204(A)
Showers in lead, Monte Carlo calculations, Robert R. Wilson—204(A)
Solar flare, J. Clay and H. F. Jongen—908(L)
Source of galactic radio emission, K. O. Kiepenheuer—738(L)
Stars at different latitudes, C. B. Fisk, J. Hornbostel, E. O. Salant, and J. E. Smith—205(A)
Stars in metal foils, Ian Barbour and Lawrence Greene—406(L)
Stars, neutral radiation, E. Pickup and L. Voyvodic—899(L)
Underground absorption, C. A. Randall, N. Sherman, and W. E. Hazen—905(L)
Underground measurements, Lowell M. Bollinger—207(A)
Underground rays, C. M. Garelli and G. Wataghin—718(L)
Unstable particles, A. J. Seriff, R. B. Leighton, C. Hsiao, E. W. Cowan, and C. D. Anderson—204(A)
In upper atmosphere, M. Panetti and G. Wataghin—177(L)
Wide angle sprays, R. Ronald Rau and G. G. Harris—915
Zenith angle and energy of mesons at sea level, Jacob L. Zar and M. H. Shamos—207(A)
Cross section, measurements, theory (see also **Scattering of electrons, mesons, neutrons, protons, and ions**)
Annihilation process for negative protons, J. Ashkin, T. Auerbach, and R. Marshak—266
Collision diameters of molecules, William V. Smith and Raydeen Howard—132
Collision diameters of NH_3 and other gases, Raydeen Howard and William V. Smith.—128
Of (d,p) reactions, Harry Gove and Keith Boyer—241(A)
Fast neutron capture in Al^{27}, R. L. Henkel and H. H. Barschall—218(A)
Of Au, neutron capture, R. D. Hill—413(L)
Of Kr^{80} for neutron absorption, John H. Reynolds—886(L)
$Li^6(d,p)Li^7$ reactions, Ward Whaling and T. W. Bonner—258
Of Mo^{100}, (γ,n) and (γ,p) reactions, R. B. Duffield, L. Hsiao, and E. N. Sloth—1011(L)
Neutron-proton capture, Lamek Hulthén—166(L)
n-p scattering, E. Kelly, C. Leith, E. Segrè, and C. Wiegand—96
Neutron resonance in Cl^{35}, C. T. Hibdon and C. O. Muehlhause—44, 219(A)
Neutron resonance scattering and absorption, S. P. Harris, C. O. Muehlhause, and G. E. Thomas—11
Neutrons in Pb, R. E. Peterson, R. K. Adair, and H. H. Barschall—935
Neutrons in noble gases, S. P. Harris—219(A)
For 120- and 345-ev neutron, C. T. Hibdon—747
Of Ni, coherent neutron scattering, W. C. Koehler, E. O. Wollan, and C. G. Shull—395(L)
For p-p scattering, Bruce Cork, Lawrence Johnston, and Chaim Richman—71; Owen Chamberlain and Clyde Wiegand—81
Proton-proton scattering, energy dependence, Bruce Cork—227(A)
Protons and π-mesons, J. H. Tinlot and B. P. Gregory—205(A)
Ratio for electron capture and electron loss, Theodore Hall—504
Scattering of neutrinos, J. H. Barrett—907(L)
$T^3(p,n)He^3$ reaction, constants, G. A. Jarvis, A. Hemmendinger, H. V. Argo, and R. F. Taschek—929
Of Va for neutrons, J. Morris Blair and J. R. Wallace—28
Crystal structure
Beta-brass structure, Louis Gold—202(A)
Dislocations, formation from vacancies, Frederick Seitz—890(L)
Displacement of oxygen in $BaTiO_3$, Edwin T. Jaynes—1008(L)
Inequalities in structure factors, H. Hauptman and J. Karle—204(A)
Lead sulfide films, J. Doughty, K. Lark-Horovitz, L. M. Roth, and B. Shapiro—203(A)
Multiplication processes for dislocations, F. C. Frank and W. T. Read, Jr.—722(L)
Perturbed period wave equation, three dimensions, Paula Feuer and Hubert M. James—216(A)
Prismatic dislocations, Frederick Seitz—723(L), 1003(L)
Prismatic punching, F. R. N. Nabarro—894(L)
Statistics of two-dimensional triangular Ising lattice, G. F. Newell—876
Vacancies generated by dislocations, Frederick Seitz—1002(L)
Vector functions for spheres and spherical shells, Dorothy Wrinch—203(A)
Crystalline state
Absorption bands in MgO crystals, J. P. Molnar and C. D. Hartman—1015(L)
Activation energy of Te, T. S. Moss—1011(L)
Antiferromagnetism, superexchange interaction, P. W. Anderson—350
Cohesive energies and compressibility of monovalent metals, T. S. Kuhn and J. H. Van Vleck—382
Cohesive energy of monovalent metals, W.K.B. method, T. S. Kuhn—515
Cooperative phenomena, entropy, Ryoichi Kikuchi—718(L)
Dielectric breakdown in ionic crystals, theory, H. Fröhlich and F. Seitz—526
Dielectric constant of ionic crystals, Sumner Mayburg—375
Diffusion of C in α-iron, C. A. Wert—601
Energy gap in Ge, temperature dependence, V. A. Johnson and H. Y. Fan—899(L)
F-centers and higher aggregates in KCl, Allen B. Scott and Lamar P. Bupp—341
Hall potential across an inhomogeneous conductor, J. Volger—1023(L)
High resistivity P-type germanium, W. C. Dunlap—286
Hydrogen bond energy, conduction data on ice, E. J. Murphy—203(A)
Infra-red absorption in Si and Ge, J. Bardeen—216(A)
Ionization of H in metals, Irvin Isenberg—736(L)
Isotope effect on transition temperature, Karl F. Herzfeld, Emanuel Maxwell, and Russell B. Scott—911(L)
Kink band in single crystal, J. S. Koehler and E. Salkovitz—202(A)
Mobility of electrons and holes in diamond, E. A. Pearlstein and R. B. Sutton—907(L)
Neutral impurity scattering in semiconductors, Cavid Erginsoy—1013(L)
Nickel ferrite, properties of crystals, J. K. Galt, B. T. Matthias, and J. P. Remeika—391(L)
Nuclear electric quadrupole interactions, R. V. Pound—685
Paramagnetism of color centers in KCl, Allen B. Scott, Henry J. Hrostowski, and Lamar P. Bupp—346

Phase transition, cubic crystal, John S. Thomsen and T. H. Berlin—203(A)
Photo-sensitive lead sulfide films, Raymond H. McFee—203(A)
Polaron states in ionic crystals, Herbert B. Callen—533(L)
Polymers, nuclear magnetism, L. Holroyd, B. A. Mrowca, and E. Guth—1026(L); B. A. Mrowca, L. V. Holroyd, and E. Guth—1026(L)
Scintillation spectra of organic crystals, W. S. Koski and C. O. Thomas—217(A)
Scintillations from crystals, photon counters, C. E. Mandeville and H. O. Albrecht—1010(L)
Single synthetic zinc sulfide crystals, D. C. Reynolds and S. J. Czyzak—543(L)
Soldered contact on semiconductor, Jacques I. Pantchechnikoff—1027(L)
Thermal equilibrium in *N*-irradiated semiconductors, J. H. Crawford, Jr. and K. Lark-Horovitz—889(L)
Trapped hole color centers in alkali halides, E. Burstein and J. J. Oberly—903(L)
Trapped holes in alkali halides, E. Burstein and J. J. Oberly—217(A)
V-centers in alkali halides, Frederick Seitz—529(L)

Diamagnetism (see **Magnetic properties**)
Dielectric constants (see **Dielectrics and dielectric properties**)
Dielectrics and dielectric properties
Constant of ionic crystals, effect of pressure, Sumner Mayburg—203(A), 375
Of dry air, velocity of waves, J. V. Hughes—222(A)
Of nickel ferrite, single crystals, J. K. Galt, B. T. Matthias, and J. P. Remeika—214(A), 391(L)
Of Se, F. J. Morris, 418(A)
Diffusion
Of C in α-iron, C. A. Wert—601
In ionosphere, M. H. Johnson and E. O. Hulburt—802
Water vapor in common gases, F. A. Schwertz and Jeanne E. Brow—223(A)
Discharge of electricity in gases
Anode phenomena in high current arcs, C. J. Gallagher—231(A)
Current fluctuations in plasma, P. Parzen and L. Goldstein—231(A)
Diffusion in ionosphere, M. H. Johnson and E. O. Hulburt—802
Diffusion in neon, Manfred A. Biondi—733(L)
Electron conductivity, mean free paths, Fred P. Adler and Henry Margenau—970
Electron energies, microwave determinations, Townsend coefficient in H_2, Lawrence J. Varnerin, Jr. and Sanborn C. Brown—946
Electron removal in He afterglows, B. T. McClure, R. A. Johnson, and R. B. Holt—232(A)
Formative time lags of spark, G. A. Kachickas and L. H. Fisher—232(A)
High current electron pulses in resonant cavity, G. W. Clark and L. B. Snoddy—232(A)
High currents over long paths, Cresswell Hatchett and John W. Flowers—417(A)
Low pressure Hg arc, Robert M. Howe—231(A)
Magnetically controlled diffusion, de-ionization, O. T. Fundingsland and George E. Austin—232(A)
Oscillations in spark, Harry S. Robertson and G. H. Dieke—232(A)
Plasma boundaries and oscillations, D. Bohm and E. P. Gross—992
Plasma fluctuations, P. Parzen and L. Goldstein—190(L)
Plasma oscillations, electron interactions, David Pines and David Bohm—232(A)
Recombination of ions, Richard Hanau—417(A)
Wind produced by arc in magnetic field, H. C. Early and W. G. Dow—186(L)
Disintegration and excitation of nucleus (see also **Photodisintegration; Radioactivity; Cross sections, measurements, theory**)
Of Al, Na, Mn by *d*, proton groups, W. D. Whitehead and N. P. Heydenburg—99
Angular correlation in $F^{19}(p,\alpha)O^{16*}(\gamma)O^{16}$, W. R. Arnold—170(L)
$A^{36}(d,p)A^{37}$ reactions, A. Zucker and W. W. Watson—241(A)
Of As^{72}, J. Y. Mei, Allan C. G. Mitchell, and C. M. Huddleston—19
Of Be^7, excited state, George D. Freier, T. F. Stratton, and L. Rosen—721(L)
Beta-gamma- and gamma-gamma-angular correlation in Sb^{124}, J. R. Beyster and M. L. Wiedenbeck—169(L)
Beta-gamma-angular correlation, David L. Falkoff and G. E. Uhlenbeck—334
β-γ-correlations, effect of nuclear charge, M. Fuchs and E. S. Lennox—221(A)
Of B^{10} by *d*, angular distributions of protons, W. C. Redman—6
$B^{10}(p,\alpha)Be^7$ reaction, D. M. Van Patter, A. Sperduto, E. N. Strait, and W. W. Buechner—900(L)
Branching in neutron inducer activities, mass spectrometric investigation, John H. Reynolds—243(A)
Of C^{13} by *d*, neutrons, J. E. Richardson—415(A)
Cascades of nuclear disintegrations, G. Cocconi, V. Cocconi Tongiorgi, and M. Widgoff—768
Deuterons and alphas from protons on Be^9, J. A. Neuendorffer, D. R. Inglis, and S. S. Hanna—239(A)
Directional correlation of successive radiations, David L. Falkoff and G. E. Uhlenbeck—323
Energy levels in B^{11}, W. W. Buechner and D. M. Van Patter—240(A)
Excitation curves for $B^{10}(d,p)B^{11}$, G. C. Phillips—240(A)
Excitation levels in B^{10}, T. W. Bonner, J. W. Butler, and J. R. Risser—240(A)
Excited state of Be^7, Geo. D. Freier, L. Rosen, and T. F. Stratton—239(A)
Of F by *p*, alpha-particles, C. Y. Chao, A. V. Tollestrup, W. A. Fowler, and C. C. Lauritsen—108
Formation of M^{17} in $O^{18}(\gamma,p)N^{17}$, R. Sher, J. Halpern, and W. E. Stephens—241(A)
Gamma-rays from $Be^9(\alpha n,\gamma)C^{12}$, James Terrell—239(A)
Gamma-rays from B^{10}, B^{11}, and Be^9, proton bombardment, R. L. Walker—172(L)
Gamma-rays from $H^1(n,\gamma)D^2$, binding energy of deuteron, R. E. Bell and L. G. Elliott—282
Gamma-rays from Po-Be neutron source, P. R. Bell and W. H. Jordan—392(L)
Ground state of B^{12}, E. N. Strait, D. M. Van Patter, and W. W. Buechner—240(A)
He^3 and P from Li^6+P, S. Bashkin, F. Ajzenberg, C. P. Browne, Gerson Goldhaber, M. J. W. Laubenstein, and H. T. Richards—238(A)
Of Li^6 by *d*, neutrons, Ward Whaling and J. W. Butler—414(A)
$Li^6(d,p)Li^7$ reactions, cross sections, Ward Whaling and T. W. Bonner—258
Li^8 ejected by gamma-rays, C. H. Millar and A. G. W. Cameron—182(L)
Li^8 splinters from nuclear bombardments, S. Courtenay Wright—838
Low energy neutrons from $Li^7(d,n)Be^8$, W. D. Whitehead—393(L)
Neutron capture γ-ray multiplicity, C. O. Muehlhause—219(A), 277
Neutron capture γ-rays, Mg, Si, P, and K, B. B. Kinsey, G. A. Bartholomew, and W. H. Walker—218(A)

Disintegration and excitation of nucleus (continued)
Neutron capture-radiation, heavy elements, G. A. Bartholomew, B. B. Kinsey, and W. H. Walker—218(A)
Neutron spectrum from proton bombardment of Be, V. R. Johnson, M. J. W. Laubenstein, and F. Ajzenberg—239(A)
Neutrons from $Be^{9}(p,n)B^{9}$, V. R. Johnson, F. Ajzenberg, and M. J. Wilson Laubenstein—187(L)
Neutrons from $C^{13}(d,n)N^{14}$, C. E. Mandeville and C. P. Swann—787
Neutrons from deuteron bombardment of Mg isotopes, C. P. Swann, C. E. Mandeville, and W. D. Whitehead—598
Neutrons from $Li^{7}(d,\alpha)He^{5}$, $He^{5}\rightarrow\alpha+n$, W. D. Whitehead—239(A)
Proton groups from $B^{11}(d,p)B^{12}$, W. W. Buechner, D. M. Van Patter, E. N. Strait, and A. Sperduto—262
Protons from $B(\alpha,p)C,C^{*}$, J. L. Perkin—175(L)
Protons from deuteron on Co^{59}, W. O. Bateson and Ernest Pollard—241(A)
Reaction constants for $T^{3}(p,n)He^{3}$, G. A. Jarvis, A. Hemmendinger, H. V. Argo, and R. F. Taschek—929
T+T reaction, energy of α-particles, K. W. Allen, E. Almqvist, J. T. Dewan, T. P. Pepper, and J. H. Sanders—238(A)
T+T reaction, energy of neutrons, J. H. Sanders, K. W. Allen, E. Almqvist, J. T. Dewan, and T. P. Pepper—238(A)
$T(T,2n)He^{4}$ reaction, dineutron (no author)—238(A)
Twelve-Mev neutrons with deuterons, G. L. Griffith, M. E. Remely, and P. G. Kruger—443

Dynamics
Oscillations of magnetic suspensions, K. Millsaps—418(A)

Elasticity
Compressibility of molten Na, T. E. Pochapsky and S. L. Quimby—892(L)
Dislocations, formation from vacancies, Frederick Seitz—890(L)
Multiplication processes for dislocations, F. C. Frank and W. T. Read, Jr.—722(L)
Prismatic dislocations, Frederick Seitz—723(L), 1003(L)
Sound velocities and elastic constants, Henry L. Laquer and William E. McGee—202(A)
Vacancies generated by dislocations, Frederick Seitz—1002(L)

Electrets
Charge and decay time, W. F. G. Swann—213(A)

Electrical conductivity and resistance
At absolute zero, H. Fröhlich—845
A.c. conduction in ice, E. J. Murphy—396(L)
Bloch's theorem and superconductivity, M. Dresden and J. DeLord—211(A)
Conductivity created in a liquid, action of electric dispersive field, Oleg Yadoff—223(A)
Of cubic semiconductor in magnetic field, Frederick Seitz—372
Dielectric breakdown in ionic crystals, theory, H. Fröhlich and F. Seitz—526
Electronic mobility in Ge, V. A. Johnson and K. Lark-Horovitz—409(L)
Forces on a superconductor, W. V. Houston and N. Muench 967
Ge point contact rectifiers, M. H. Dawson and B. H. Alexander—217(A)
Hall effect, resistivity, C. S. Hung and J. R. Gliessman—726(L); C. S. Hung—727(L)
Hall potential across an inhomogeneous conductor, J. Volger—1023(L)
High resistivity *P*-type germanium, W. C. Dunlap—286
Of ice, hydrogen bond energy, E. J. Murphy—203(A)
Of In and Th alloys, Meissner effect, J. W. Stout and Lester Guttman—396(L)
Induced in Se by electron bombardment, L. Pensak—171(L)
Insulating to metallic behavior in silicon, G. W. Castellan and F. Seitz—216(A)
Isotope effect in superconductors, Jules de Launay—398(L)
Magnetic fields and conduction—"tube integrals," W. Shockley—191(L)
Magnetic threshold curve for In, G. Preston Burns—211(A)
Magnetoresistance of germanium, I. Estermann and A. Foner—365
N-irradiated semiconductors, J. H. Crawford, Jr. and K. Lark-Horovitz—889(L)
Noise in semiconductors, R. L. Petritz and A. J. F. Siegert—215(A)
Of Pt, heat treatment, Robert J. Corruccini—202(A)
Potential fluctuations in semiconductors, Hubert M. James and Guy W. Lehman—216(A)
Resistance minima at low temperatures, M. P. Garfunkel, F. G. Dunnington, and B. Serin—211(A)
Of semiconductors containing both acceptors and donors, C. S. Hung and V. A. Johnson—535(L)
Semiconductors with macroscopic discontinuities, J. C. M. Brentano and D. H. Davis—216(A)
Soldered contact on semiconductor, Jacques I. Pantchechnikoff—1027(L)
Superconducting Bi alloys, Joseph M. Reynolds and C. T. Lane—405(L)
Superconducting properties of Cb, D. B. Cook, M. W. Zemansky, and H. A. Boorse—212(A)
Superconductivity and Debye modes, William Band—739(L), 1005(L)
Superconductivity and zero-point vibrations, J. Bardeen—167(L)
Superconductivity in Sn-Ge "alloys," Ralph P. Hudson—883(L)
Superconductivity of columbium nitride, D. B. Cook, M. W. Zemansky, and H. A. Boorse—1021(L)
Superconductivity of vanadium, Aaron Wexler and W. S. Corak—737(L)
Of thoria, W. E. Danforth and F. H. Morgan—142
Tin superconductors, alternating currents, B. Serin, C. A. Reynolds, and M. P. Garfunkel—211(A)
Of Sn^{124}, superconductivity, Emanuel Maxwell—173(L)

Electrodynamics (see **Electromagnetic theory**)

Electromagnetic theory (see also **Quantum electrodynamics**)
Conservation laws, electromagnetic field, Robert Penfield and Henry Zatzkis—201(A)
Hydromagnetic equations, Walter M. Elsasser—183(L)
Magnetic shielding in He and H_2, Egil Hylleraas and S. Skavlem—117
Oscillations of magnetic suspensions, K. Millsaps—418(A)
Velocity of waves, dielectric constant of dry air, J. V. Hughes—222(A)
Waves in bounded magneto-ionic media, Benjamin Lax—222(A)

Electron optics
Focusing of beams in fields of "mirror" symmetry, P. A. Sturrock—215(A)

Electrons in metals
Ionization of H in metals, Irvin Isenberg—736(L)

Energy states of nucleus (see **Disintegration and excitation of nucleus; Nuclear structure**)

Errata
Bohr formula for Rydberg constant, Raymond T. Birge—1005(L)
Measurement of a 1.6×10^{-9}-sec. half-life in Yb^{170}, R. E. Bell and R. L. Graham—194(L)
Range-energy relations for protons in substances containing C, H, O, A, and Xe, J. O. Hirschfelder and J. L. Magee—1005(L)

Excitation of nuclei (see **Disintegration and excitation of nucleus; Nuclear structure**)

Ferroelectric phenomena
Curie point in $KTaO_3$, J. K. Hulm, B. T. Matthias, and E. A. Long—885(L)
Electronic theory, E. T. Jaynes and E. P. Wigner—213(A)
Field currents
Emission from single tungsten crystals, Michael K. Wilkinson—233(A)
Field theory (see also **Quantum electrodynamics**)
Convergent non-linear field theory, J. C. Ward—406(L)
Equivalence theorems for meson-nucleon couplings, Edward J. Kelly—399(L)
With non-localized action, A. Pais and G. E. Uhlenbeck—145
Renormalization, differential identities, Abdus Salam—910(L)
Tomonaga coupling method in meson theory, Kenneth M. Watson and Edward W. Hart—918
Films, properties of
By electrically "exploded" wires, William M. Conn—213(A)
Ferromagnetic films, Martin J. Klein and Robert S. Smith—214(A)
Structure of lead sulfide, J. Doughty, K. Lark-Horovitz, L. M. Roth, and B. Shapiro—203(A)
Fission of nucleus (see also **Disintegration and excitation of nucleus**)
Asymmetric fission, T. Yasaki and O. Miyatake—740(L)
Delayed neutrons from U^{238} and Th^{232}, K. H. Sun, R. A. Charpie, F. A. Pecjak, B. Jennings, J. F. Nechaj, and A. J. Allen—3, 197(A)
Excitation functions for charged particles, J. Jungerman—198(A), 632
Ionization yields of fragments, R. B. Leachman—197(A)
Of medium weight elements, Roger E. Batzel and Glenn T. Seaborg—528(L)
Photo-fission of Bi, Nathan Sugarman—532(L)
Quantum field theory, Hartland S. Snyder—520
Total charges of fragments in gaseous and solid media, N. O. Lassen—1016(L)
Yields in rare earths, Mark G. Inghram, Richard J. Hayden, and David C. Hess—271
Fluid dynamics (see also **Aerodynamics; Hydrodynamics**)
Analysis of turbulence data, F. N. Frenkiel—229(A)
Compressible fluid flow, R. Shaw—547(A)
Flow past an infinite cone, Keeve M. Siegel—229(A)
Interior ballistics, expansion of gases in cylinder, W. Heybey—229(A)
Jet mixing of compressible fluid, S. I. Pai—547(A)
Shock layer, existence ahd limit behavior, David Gilbarg—547(A)
Vorticity averages, C. Truesdell—229(A)
Fluorescence
Of anthracene and stilbene, decay time and temperature, J. O. Elliot, S. H. Liebson, and C. F. Ravilious—393(L)
Liquid scintillator, efficiency, R. F. Post—735(L)
Of potassium iodide, impurities, B. Smaller, J. May, and M. Freedman—940
Scintillation solutions, spectral emission, F. B. Harrison and G. T. Reynolds—745(L)
Scintillations in liquids and solutions, M. Ageno, M. Chiozzotto, and R. Querzoli—720(L)
Of solutions bombarded with radiation, Hartmut Kallmann and Milton Furst—857
Temperature characteristics of napthalene-anthracene, S. H. Liebson and R. T. Farrar—733(L)

Geophysics
Extrapolation of geomagnetic potential, C. J. Swift—222(A)

Hall effect
In impurity semiconductors, V. A. Johnson and K. Lark-Horovitz—176(L)
At low temperatures, C. S. Hung and J. R. Gliessman—726(L); C. S. Hung—727(L)
Magnetoresistance of germanium, I. Estermann and A. Foner—365
P-type germanium, W. C. Dunlap—286
Resistance of cubic semiconductor in magnetic field, Frederick Seitz—372
Helium, liquid
Film transport in liquid He II, H. A. Boorse and J. G. Dash—734(L)
Lambda-temperatures of He^3 in He^4, J. G. Daunt and C. V. Heer—46
Liquid-solid transformation near absolute zero, C. A. Swenson—626
Non-equilibrium phenomena in Bose-Einstein gas, heat transfer, William Band—589
Rollin film creep, Henry A. Fairbank, Ernest A. Lynton, and C. T. Lane—211(A)
Superfluidity and thermomechanical effect, Earl Long and Lothar Meyer—1031(L)
Thermal Rayleigh disk in He II, John R. Pellam—212(A)
Thermodynamics, He^3-He^4 solutions, O. K. Rice—1024(L)
Transport rates, H. A. Boorse and J. G. Dash—1008(L)
Vapor pressure of He^3, He^4 solutions, John E. Kilpatrick—529(L)
Velocity of second sound in mixtures of He^3 and He^4, Ernest A. Lynton and Henry A. Fairbank—735(L)
Zero-point energy, C. L. Pekeris—884(L)
High voltage tubes and machines (see **Methods and instruments**)
Hydrodynamics
Breaking of waves by opposing current, Yi-Yuan Yu—546(A)
Of He II, two-fluid model, P. R. Zilsel—309
Hydromagentic equations, Walter M. Elsasser—183(L)
Vibrations due to water flowing through elastic tube, Elmer B. Carnes—416(A)
Hyperfine structure (see also **Nuclear moments and spin**)
Of Cu, J. A. Brinkman and C. Kikuchi—226(A)
Of hydrogen and deuterium, A. G. Prodell and P. Kusch—1009(L)
In iron transition group, A. Abragam—534(L)
Isotope shift in Ba, O. H. Arroe—836
Of Hg, K. Murakawa—536(L)
Of Ni^{61}, Karl G. Kessler—167(L)

Ionization
By heavy particles, J. K. Knipp—197(A)
Specific ionization in air, Arthur E. Lockenvitz and J. T. Kopecek—417(A)
Ionization potentials
Spectroscopic determination, Wolfgang Finkelnburg—213(A)
Ionosphere
Diffusion in ionosphere, M. H. Johnson and E. O. Hulburt—222(A)
Isomers, nuclear (see also **Nuclear structure; Radioactivity**)
In Ca^{49}, E. der Mateosian and M. Goldhaber—192(L)
In Co^{58}, Karl Strauch—487
Of $^{77}Ir^{191}$, F. K. McGowan—404(L)
Of Kr^{85}, Ingmar Bergström and Sigvard Thulin—537(L)
In Pb^{204}, "memory" in angular correlation, A. W. Sunyar, D. Alburger, G. Friedlander, M. Goldhaber, and G. Scharff-Goldhaber—181(L)
Of Sn^{117}, J. W. Mihelich and R. D. Hill—781
In Ti^{51}, J. A. Miskel, E. der Mateosian, and M. Goldhaber—193(L)
Of Xe^{133}, Ingmar Bergström and Sigvard Thulin—538(L)

Isotopes
Of americium, K. Street, Jr., A. Ghiorso, and G. T. Seaborg —530(L)
Ca^{40}-A^{40} mass difference, T. R. Roberts and Alfred O. Nier —198(A)
Masses of Si^{28}, Si^{29}, Mn^{55}, Fe^{56}, Ni^{58}, Pd^{110}, Cd^{110}, Cd^{112}, Cd^{116}, and Sn^{116}—Henry E. Duckworth and Richard S. Preston—402(L)
Masses of Si^{30}, Co^{59}, Ni^{60}, Zr^{90}, Mo^{96}, and Mo^{100}, Henry E. Duckworth, Richard S. Preston, and Karl S. Woodcock—188(L)
Packing fraction, $n=50$ neutrons, Henry E. Duckworth, Karl S. Woodcock, and Richard S. Preston—198(A)
Relative abundances of Ne, Kr, Rb, Xe, and Hg, Alfred O. Nier—450
Of Se, S. Geschwind, H. Minden, and C. H. Townes—226(A)
U^{235} in thucholite, J. B. Orr—401(L)

Kinetic theory
Condensation in clustering Bose-Einstein gas, William Band—871
Data of state for hydrogen, Herrick L. Johnston, Irving J. Bezmann, Thor Rubin, Lyle Jensen, David White, and Abraham S. Friedman—235(A)

Liquids (see also **Hydrodynamics; Helium, liquid**)
Fluorescence, energy transport, Hartmut Kallmann and Milton Furst—857
Nucleation in vapor expansions, Arthur Kantrowitz—547(A)
Supersonic absorption, A. Gierer and K. Wirtz—906(L)
Low temperature phenomena (see also **Helium, liquid**)
Atomic heat of In, J. R. Clement and E. H. Quinnell—1028(L)
Lambda-temperatures of He^3 in He^4, J. G. Daunt and C. V. Heer—46
Luminescence
Color centers in alkali halides, Clifford C. Klick—894(L)
Efficiency in vacuum ultraviolet, K. Watanabe, F. S. Johnson, and R. Tousey—217(A)

Magnetic properties (see also **Nuclear moments and spin; Crystal structure; Magnetic resonance absorption**)
Antiferromagnetism, field theory, P. W. Anderson—705
Antiferromagnetism, superexchange interaction, P. W. Anderson—350
Antiferromagnetism, triangular Ising net, G. H. Wannier—357
Atomic moments of ferromagnetic alloys, R. M. Bozorth—887(L)
Coercive force of iron, inclusions, L. J. Dijkstra and C. Wert—979
Diamagnetism of free electrons, D. J. Besdin—417(A)
Dispersion in ferrites, C. Kittel—214(A)
Domains in cobalt-nickel crystal, R. M. Bozorth and J. G. Walker—888(L)
Ferromagnetic block, L. W. McKeehan—739(L)
Ferromagnetic domains, L. W. McKeehan—747(L)
Ferromagnetic films, Martin J. Klein and Robert S. Smith —214(A)
Fringe field of domains, L. Marton, J. A. Simpson, and A. Van Bronkhorst—215(A)
Magnetostriction, crystal orientation, J. E. Goldman—215(A)
Of manganese ferrite, Charles Guillaud, W. A. Yager, F. R. Merritt, and C. Kittel—181(L)
Of nickel ferrite, single crystals, J. K. Galt, B. T. Matthias, and J. P. Remeika—214(A), 391(L)
Of KCl, paramagnetism of color centers, Allen B. Scott, Henry J. Hrostowski, and Lamar P. Bupp—346
Remagnetization in saturated ferromagnet, H. Ekstein and T. Gilbert—214(A)
Tension and properties of iron-cobalt, H. H. Plotkin and J. E. Goldman—215(A)
Magnetic resonance absorption (see also **Nuclear moments and spin**)
In antiferromagnetic materials interpretation, D. F. Bleil and R. K. Wangsness—227(A)
In antiferromagnetic materials near Curie temperature, E. P. Trounson, D. F. Bleil, R. K. Wangsness, and L. R. Maxwell—542(L)
Of Sb^{121} and Sb^{123}, V. W. Cohen, W. D. Knight, T. Wentink, Jr., and W. S. Koski—191(L)
In chromium sesquioxide, E. P. Trounson, D. F. Bleil, and L. R. Maxwell—226(A)
In manganese ferrite, Charles Guillaud, W. A. Yager, F. R. Merritt, and C. Kittel—181(L)
In metallic hydrides, Martin A. Garstens—397(L)
Of paramagnetic ions, Yu Ting, Roy C. Weidler, and Dudley Williams—226(A)
Shift of nuclear resonance in paramagnetic solutions, N. Bloembergen and W. C. Dickinson—179(L)
In single crystals of manganous halides, Alden H. Ryan—226(A)
In single crystals of nickel ferrite, W. A. Yager, J. K. Galt, F. R. Merritt, E. A. Wood, and B. T. Matthias—214(A)
Magnetostriction (see **Magnetic properties**)
Mass ratios (see **Isotopes**)
Mass spectroscopy
Ca^{40}-A^{40} mass difference, T. R. Roberts and Alfred O. Nier —198(A)
Of $C^{13}O_2$ and $C^{13}O$, V. H. Dibeler, E. J. Wells, Jr., and R. M. Reese—223(A)
Isotopic hydrogen molecules, Fred L. Mohler, Vernon H. Dibeler, E. J. Wells, Jr., and R. M. Reese—223(A)
Packing fraction, $n=50$ neutrons, Henry E. Duckworth, Karl S. Woodcock, and Richard S. Preston—198(A)
Rapid scanning mass spectroscope, Willard H. Bennett—222(A)
Mean over-all life (see **Radioactivity**)
Mechanics, quantum—atomic structure and spectra
Magnetic shielding in He and H_2, Egil Hylleraas and S. Skavlem—117
Mechanics, quantum—general
Properties of spin $\frac{1}{2}$ fields, C. N. Yang and J. Tiomno—495
Quantization of Einstein's gravitational field equations, F. A. E. Pirani and A. Schild—986
Quantization of higher order, W. Thirring—703
Quantum field theory, Hartland S. Snyder—520
Removal of degeneracy, Melvin Lax—200(A)
Resonance between identical big molecules, Herbert Jehle—200(A)
S-matrix in Heisenberg representation, C. N. Yang and David Feldman—972
Singular potentials, K. M. Case—220(A)
Time-independent integrals of motion in Dirac theory, A. W. Sáenz—1004(L)
Uncertainty principle for number of variables, Ronald L. Reed and M. Dresden—200(A)
Variational principles for scattering processes, B. A. Lippmann and Julian Schwinger—469
Virial theorem and variation principle, I. Isenberg—737(L)
Mechanics, quantum—nuclear
n-p interaction, lower bounds of range, A. A. Broyles and B. Kivel—418(A)
Nucleon-meson coupling constant, S. D. Drell—220(A)
Velocity dependent nuclear interactions, R. Avery, C. H. Blanchard, and R. G. Sachs—220(A)
Mechanics, statistical
Antiferromagnetism, triangular Ising net, G. H. Wannier—357

Equations of hydrodynamics, derivation, John M. Richardson—200(A)
Non-equilibrium phenomena in Bose-Einstein gas, heat transfer, William Band—589
Pressure in canonical ensemble, R. J. Riddell, Jr.—200(A)
Mesons (see also **Cosmic radiation**)
Absorption of π^--mesons by deuterons, Stephen Tamor—221(A)
Absorption of π^--mesons by protons, R. E. Marshak and A. S. Whitman—220(A)
Cross sections for collisions of protons and π-mesons, J. H. Tinlot and B. P. Gregory—205(A)
Decay lifetime of positive π-μ, O. Chamberlain, R. F. Mozley, J. Steinberger, and C. Wiegand—394(L)
Electrons at end of μ-meson tracks, William F. Fry—893(L)
Meson-nucleon couplings, Edward J. Kelly—399(L)
μ-mesons stopped in Al foils, W. Y. Chang—205(A)
μ-pair theories and the π-meson, Gregor Wentzel—710
Neutral mesons produced by photons, K. A. Brueckner and K. M. Watson—187(L)
π- and μ-meson production spectra, Giulio Ascoli—812
Production by photons, K. A. Brueckner—641
Production cross sections, H. A. Wilcox, W. F. Cartwright, C. Richman, and M. N. Whitehead—198(A)
Production of π^+ and π^- by neutrons, Hugh Bradner, D. J. O'Connell, and B. Rankin—720(L)
In proton-proton collisions, Vincent Z. Peterson—407(L)
Tomonaga coupling method in meson theory, Kenneth M. Watson and Edward W. Hart—918
Metals (see **Crystalline state**)
Meteorology
Molecular rotation and temperature of upper atmosphere, Lewis M. Branscomb—619
Methods and instruments
Absorption technique for γ-rays from position emitters, Herbert E. Kubitschek—23
Anthracene scintillation spectrometer, John I. Hopkins—415(A)
Bent crystal x-ray spectrometer, E. L. Jossem and L. G. Parratt—210(A)
Betatron performance, G. D. Adams, D. W. Kerst, and C. S. Robinson—208(A)
Cloud chamber, large, Melvin B. Gottlieb and Alfred J. Hartzler—204(A)
Cloud chamber triggered by internal scintillation counter, R. W. Williams, L. M. Spetner, W. L. Kraushaar, and H. W. J. Courant—207(A)
Cylindrical cavities, optimum parameters, B. L. Miller—209(A)
Delayed coincidence circuit, W. R. Konneker, S. DeBenedetti, and F. K. McGowan—210(A)
Diamond gamma-ray counters, E. Pearlstein and R. B. Sutton—217(A)
Differential pulse-height analyzer, J. E. Francis, Jr., P. R. Bell, and J. C. Gundlach—418 (A)
Diffuser for supersonic wind tunnels, J. L. Diggins—229(A)
Discharges over long paths, Cresswell Hatchett and John W. Flowers—417(A)
Electron injection gun for synchrotron, Orville Stone—209(A)
Electron orbits, line shapes in β-ray spectrometer, J. F. Perkins and A. W. Solbrig, Jr.—415(A)
Electron track densities in emulsions, Dale R. Corson and Margaret R. Keck—209(A)
Electrostatic generator, D. I. Cooper, D. H. Frisch, C. L. Storrs, Jr., and C. J. Strumski—208(A)
Emulsion chamber, ionizing particle tracks, Herman Yagoda—207(A)
Fast multiplying circuit, B. Chance, J. Busser, and F. C. Williams—244(A)
Fermi β-distribution, evaluation, Harvey Hall—745(L)
Field mapping by the electron optical shadow, J. Arol Simpson—215(A)
Films by electrically "exploded" wires, William M. Conn—213(A)
Finite Wiener-Hopf equations, Richard Latter—199(A)
Fluctuations in tungsten-lamp-photo-cell system, Britton Chance—233(A)
Gamma-ray measurements with NaI(T1) crystals, R. Hofstadter and J. A. McIntyre—389(L)
Gamma-ray spectrometer, Compton effect, J. A. McIntyre and R. Hofstadter—208(A)
Gas liquefaction in shock tubes by light scattering, G. A. Lundquist—230(A)
Gas recovery system, accelerator, E. Almqvist, K. W. Allen, J. T. Dewan, T. P. Pepper, and J. H. Sanders—209(A)
High speed coincidence circuit, Z. Bay—233(A)
Ion source for electrostatic generator, K. R. More, R. H. Chow, J. K. Kinnear, and S. B. Woods—208(A)
Liquid scintillator, efficiency, R. F. Post—735(L)
Magnet ends and sections for synchrotron, G. B. Beard, J. L. Levy, W. A. Nierenberg, and R. W. Pidd—209(A)
Magnetic lens pair production spectrometer, L. M. Baggett and S. J. Bame, Jr.—415(A); S. J. Bame, Jr. and L. M. Baggett—415(A)
Molecules on hot wire detector, sitting time, D. T. F. Marple and Henry Levinstein—223(A)
Monoenergetic neutron source, V. R. Johnson, F. Ajzenberg, and M. J. Wilson Laubenstein—187(L)
Operation of 350-Mev electron synchrotron, I. A. Getting, J. S. Clark, J. E. Thomas, Jr., I. G. Swope, and M. L. Sands—208(A)
Optical detection of radiofrequency resonance, J. Brossel, P. Sagalyn, and F. Bitter—225(A)
Pair spectrometer, J. W. DeWire, A. Ashkin, and L. A. Beach—210(A)
Particle energies with scintillation counters, W. Franzen, R. Peelle, and R. Sherr—209(A)
Phase spectrum in pulse analysis, T. N. Hatfield, Fred Morris, and Charles Hager—418(A)
Photography of detonation and shock phenomena, R. Heine-Geldern, E. M. Pugh, and S. Foner—230(A)
Photography of high speed phenomena, S. Foner, E. M. Pugh, R. Heine-Geldern, and E. C. Mutschler—230(A)
Photography of metal jet charges, E. M. Pugh, R. Heine-Geldern, and E. C. Mutschler—230(A)
Photo-multipliers, rise times of pulses, O. Martinson, P. Isaacs, H. Brown, and I. W. Ruderman—178(L)
Potassium iodide, scintillation studies, B. Smaller, J. May, and M. Freedman—940
Proportional counter for fast neutrons, G. S. Hurst and R. H. Ritchie—415(A)
Proton energies with scintillation counters, W. Franzen, R. W. Peelle, and R. Sherr—742(L)
Radioactivity measurement, new method, W. Gross and G. Failla—209(A)
Radiofrequency source, F. J. Rink—414(A)
Rapid scanning mass spectroscope, Willard H. Bennett—222(A)
Ring focusing magnetic spectrometer, W. W. Pratt, F. I. Boley, and R. T. Nichols—208(A)
Rotating mirror, high constant speed, E. C. Smith and J. W. Beams—222(A)
Scintillation solutions, spectral emission, F. B. Harrison and G. T. Reynolds—745(L)
Scintillations in liquids and solutions, M. Ageno, M. Chiozzotto, and R. Querzoli—720(L)
Self-quenching counters, anomalous effect, A. D. Krumbein—910(L)
Short duration spark, J. A. Fitzpatrick and W. J. Thaler—231(A)

Methods and instruments (continued)
Short-lived radioactive gases, Michel Ter-Pogossian, Fred T. Porter, and C. Sharp Cook—244(A)
Sound velocities and elastic constants, Henry L. Laquer and William E. McGee—202(A)
Susceptibility measurements, moment balance, J. A. Osborn —214(A)
Temperature characteristics of naphthalene-anthracene, S. H. Liebson and R. T. Farrar—733(L)
Thermal Rayleigh disk in He II, John R. Pellam—212(A)
Synchrotron beam standardizing, Wade Blocker, Robert Kenney, and Wolfgang K. H. Panofsky—419
Ultrafiltration with Ag membranes, W. C. Skinner and F. G. Slack—417(A)
Variational method for scattering problems, L. Hulthén and P. O. Olsson—531(L)
Microwaves (see also **Electromagnetic theory; Spectra, microwave**)
Analysis of ketene, B. Bak, E. Stenberg Knudsen, E. Madsen, and J. Rastrup-Andersen—190(L)
From 15-Mev deuterons on thick targets, angular distribution, C. E. Falk—219(A)
Photo-sensitive Geiger-Müller counter, scintillations, C. E. Mandeville and H. O. Albrecht—1010(L)
Molecular structure and constants (see also **Spectra, molecular; Raman spectra**)
Of bromogermane, A. Harry Sharbaugh, Benjamin S. Pritchard, Virginia G. Thomas, John M. Mays, and Benjamin P. Dailey—189(L)
Of CD_3NC and CD_3CN, Ralph Trambarulo and Walter Gordy—224(A)
Collision diameters, quadrupole moments, William V. Smith and Raydeen Howard—132
Of methane, coriolis perturbation, Emily W. Jones and Joseph W. Straley—417(A)
Of methyl cyanide and methyl isocyanide, Myer Kessler, Harold Ring, Ralph Trambarulo, and Walter Gordy—54
Molecular beam electric resonance with diatomic molecules, Vernon Hughes and Ludwig Grabner—829
Of pentaborane, W. J. Taylor, C. W. Beckett, J. Y. Tung, R. B. Holden, and H. L. Johnston—234(A)
Relaxation times for exchange of vibrational energy, Wayland C. Griffith—235(A)

Necrology
John Torrence Tate—1
Neutrino (see also **Radioactivity; Scattering of electrons, mesons, neutrons, protons, and ions**)
Scattering cross section, J. H. Barrett—907(L)
Neutrons
Dineutron, $T(T,2n)He^4$ reaction (no author)—238(A)
At high altitudes, latitude dependence, W. P. Staker and W. O. Davis—207(A)
From Li^6, energy, Ward Whaling and J. W. Butler—414(A)
From $Li^7(d,n)Be^8$, low energy, W. D. Whitehead—393(L)
Polarization by scattering, Joseph V. Lepore—137
Proton bombardment of Be, V. R. Johnson, M. J. W. Laubenstein, and F. Ajzenberg—239(A)
Spin, M. Hamermesh and E. Eisner—888(L)
From U^{238} and Th^{232} fission, K. H. Sun, R. A. Charpie, F. A. Pecjak, B. Jennings, J. F. Nechaj, and A. J. Allen—3, 197(A)
Nuclear moments and spin (see also **Hyperfine structure**)
Of Sb^{121}, Thomas L. Collins—226(A)
Of Sb^{121} and Sb^{123}, V. W. Cohen, W. D. Knight, T. Wentink, Jr., and W. S. Koski—191(L)
Of deuteron, quadrupole moment, A. A. Broyles and M. H. Hull—247
g-values of paramagnetic ions, Yu Ting, Roy C. Weidler, and Dudley Williams—216(A)
Of Mo^{95} and Mo^{97}, O. H. Arroe—212(A)
Quadrupole interactions in crystals, R. V. Pound—685
Of Sc^{45}, Robert E. Sheriff and Dudley Williams—175(L)
Of Sc^{45}, Norman F. Ramsey—1010(L)
Of Se isotopes, S. Geschwind, H. Minden, and C. H. Townes—226(A)
Shift of nuclear resonance in paramagnetic solutions, N. Bloembergen and W. C. Dickinson—179(L)
Spins of Li^6 and B^{10}, G. Racah and N. Zeldes—1012(L)
Of T1, Sn, Cd, and Pb, W. G. Proctor—35
Nuclear spectra (see also **Disintegration and excitation of nucleus**)
Of Au^{199}, R. D. Hill and J. W. Mihelich—275
Beta-spectrum of A^{39}, A. R. Brosi, H. Zeldes, and B. H. Ketelle—902(L)
Cross-over transitions in Ir^{194}, Ag^{110}, Cs^{134}, Richard Wilson—1004(L)
Gamma-rays of Ag^{105} and Ag^{106}, J. Y. Mei, C. M. Huddleston, and Allan C. G. Mitchell—1010(L)
Gamma-spectrum of Ta^{182}, F. E. O'Meara—1032(L)
Of Np^{238}, M. S. Freedman, A. H. Jaffey, and F. Wagner, Jr. —410(L)
Photo-alpha-reactions in light nuclei, T. A. Welton—399(L)
Of Pa^{233}, β-spectrum, H. B. Keller and J. M. Cork—1030(L)
Nuclear structure (see also **Disintegration and excitation of nucleus; Radioactivity; Nuclear spectra**)
Of Al, C. P. Swann, C. E. Mandeville, and W. D. Whitehead—598
Of A^{37}, A. Zucker and W. W. Watson—241(A)
Binding energy of deuteron, R. E. Bell and L. G. Elliott—282
Of C^{12}, P. R. Bell and W. H. Jordan—392(L)
Closed shells at 20 nucleons, C. H. Townes and W. Low—198(A)
Dipole vibrations, Helmut Steinwedel, J. Hans D. Jensen, and Peter Jensen—1019(L)
Exchange currents, in nuclei, R. K. Osborn and L. L. Foldy —795
Isomerism and shell structure, R. D. Hill—1021(L)
Isotope shift staggering, G. Breit—891(L)
Of Kr^{85}, Ingmar Bergström and Sigvard Thulin—537(L)
Levels in C^{12} from $Be^9(\alpha,n)C^{12}$, William H. Guier and James H. Roberts—719(L)
Levels in lead isotopes, R. E. Peterson, R. K. Adair, and H. H. Barschall—935
Levels in N^{14} and Al^{27}, C. P. Swann and C. E. Mandeville—240(A)
Levels in Pb, R. K. Adair, C. K. Bockelman, and R. E. Peterson—218(A)
Levels in Pb, Bi, and Th, J. A. Harvey—241(A)
Levels in S, R. E. Peterson, R. K. Adair, H. H. Barschall, and C. K. Bockelman—218(A)
Levels in S, R. E. Peterson, H. H. Barschall, and C. K. Bockelman—593
Liquid drop model, fission, David L. Hill—197(A)
Lower levels of He^5, Herbert Goldstein—740(L)
Neutron binding energies, J. R. Huizenga, L. B. Magnusson, O. C. Simpson, and G. H. Winslow—908(L)
Of N^{15}, energy levels, J. E. Richardson—415(A)
Nuclear size resonances, K. W. Ford and D. Bohm—716(L)
1.0-Mev level in C^{13}, Isadore B. Berlman—411(L)
Packing fraction and magic number $n=50$, Henry E. Duckworth, Karl S. Woodcock, and Richard S. Preston—198(A)
Protxn density variation, Helmut Steinwedel and Michael Danos—1019(L)
p-p interaction, R. S. Christian and H. P. Noyes—85
Radii of even-even nuclei from alpha-decay theory, I. Perlman and T. J. Ypsilantis—30
Radiofrequency spectrum of H_2, H. G. Kolsky, T. E. Phipps, Jr., N. F. Ramsey, and H. B. Silsbee—883(L)

Of Se^{75}, J. M. Cork, W. C. Rutledge, C. E. Branyan, A. E. Stoddard, and J. M. LeBlanc—889(L)
Special and magic numbers, abundance, William D. Harkins—724(L)
Spheroidal nuclear model, James Rainwater—432
Spin dependent, C. O. Muehlhause—1002(L)
Tensor forces, level of Li^6 and Li^7, A. M. Feingold and E. P. Wigner—221(A)

Packing fraction (see **Isotopes**)
Pair production
By electrons, Marshall R. Cleland, Wilfred R. Konneker, and A. L. Hughes—229(A)
Philosophy of physics
Stability of systems and general principles, Robert E. Bass —201(A)
Phosphorescence
Of Wurtzite, temperature effects, J. R. Jacques and H. A. Jarrell—418(A)
Photoconductivity
In amorphous Se, Paul K. Weimer—171(L)
Lead sulfide films, temperature variation, Raymond H. McFee—203(A)
Photoelectric emission from *F*-centers, L. Apker and E. Taft—964
Trapped electrons in alkali halides, J. J. Oberly and E. Burstein—217(A)
Trapped holes in alkali halides, E. Burstein and J. J. Oberly —217(A)
V-centers in alkali halides, Frederick Seitz—529(L)
Photodisintegration
Alpha-reactions in light nuclei, T. A. Welton—241(A)
Angular asymmetries in (γ,n) reactions, H. L. Poss—539(L)
Of deuterium by 4.5- to 20.3-Mev x-rays, E. G. Fuller—303
Of deuteron, Ingvar F. E. Hansson—909(L)
Energy for various reactions, Karl Strauch—241(A)
Of Mo^{100}, (γ,n) and (γ,p) reactions, R. B. Duffield, L. Hsiao, and E. N. Sloth—1011(L)
Neutron thresholds for Pb^{206}, Pb^{207}, Pb^{208}, H. Palevsky and A. O. Hanson—242(A)
Neutron yields from 32 elements, R. L. Walker, B. D. McDaniel, and M. B. Stearns—242(A)
In N and O, predominant disintegrations, E. R. Gaerttner and M. L. Yeater—401(L)
Of Ag and Al, B. C. Diven and G. M. Almy—242(A)
Yields of photo-neutrons, 320-Mev bremsstrahlung, D. W. Kerst and G. A. Price—725(L)
Photoelectric evect and properties; cells
Emission from *F*-centers, L. Apker and E. Taft—964
Photography (see also **Methods and instruments**)
Electron track densities in emulsions, Dale R. Corson and Margaret R. Keck—209(A)
Emulsion chamber, ionizing particle tracks, Herman Yagoda —207(A)
Polymerization, properties of polymers
Degradation on shearing in solution, A. B. Bestul and H. V. Belcher—223(A)
Line widths at room temperature, L. Holroyd, B. A. Mrowca, and E. Guth—1026(L)
Line widths through transition temperatures, B. A. Mrowca, L. V. Holroyd, and E. Guth—1026(L)
Positrons
Thermal energy positrons, Leon Madansky and Franco Rasetti—397(L)
Probability
Distributions of resultants of vibrations, C. F. Kent and J. E. Boyd—417(A)
Protons
Polarization by scattering, Joseph V. Lepore—137
Quantum electrodynamics (see also **Field theory**)
Energy-momentum tensor of the electron, F. Villars—122
Quantum field theory, Hartland S. Snyder—520
S-matrix in Heisenberg representation, C. N. Yang and David Feldman—972
Self-energy of free electron, F. J. Belinfante—201(A)
Subsidiary condition, F. Coester and J. M. Jauch—201(A)
Time-independent integrals of motion in Dirac theory, A. S. Sáenz—1004(L)

Radio (see also **Ionosphere**)
Antenna radiation, finite ground-plane, Alfred Leitner and R. D. Spence—199(A)
Radioactivity (see also **Disintegration and excitation of nucleus; Nuclear spectra**)
Of Sb^{124}, L. M. Langer, R. D. Moffat, and H. C. Price, Jr.— 808
Of Sb^{124} beta-gamma- and gamma-gamma-angular correlation, J. R. Beyster and M. L. Wiedenbeck—169(L)
Of americium, K. Street, Jr., A. Ghiorso, and G. T. Seaborg —530(L)
Of As^{72} and As^{71}, J. Y. Mei, Allan C. G. Mitchell, and C. M. Huddleston—237(A)
Beta-disintegration of Sc^{44}, A. Bruner and M. Langer— 236(A)
Beta-gamma-angular correlation, J. R. Beyster and M. L. Wiedenbeck—728(L)
β-γ-angular correlation, in scintillation counters, Robert Stump and Sherman Frankel—243(A); S. L. Ridgway— 243(A)
Of Cd, J. M. Cassidy and P. R. Bell—418(A)
Of Cd isotopes, J. M. Cork, W. C. Rutledge, A. E. Stoddard, C. E. Branyan, and J. LeBlanc—238(A); 938
Of C^{15}, L. Yaffe and W. H. Stevens—893(L)
Of Ce^{139} formed by n-γ reaction, Alfred J. Moses and Don S. Martin, Jr.—467
Of Ce^{141} and Pa^{233}, M. S. Freedman and D. W. Engelkemeir—897(L)
Of Ce^{144} and Pr^{144}, C. E. Mandeville and E. Shapiro—243(A)
Of Co^{60}, internal conversion, M. A. Waggoner, M. L. Moon, and A. Roberts—236(A)
Coincidence efficiency of gamma-rays, J. M. Barnothy and M. Forro—199(A)
Of Cu^{64}, Br^{80}, Br^{82}, and I^{128}, branching ratio, John H. Reynolds—789
Fermi β-distribution, evaluation, Harvey Hall—745(L)
Of Gd, R. E. Hein and A. F. Voigt—783
Of Ga^{66}, R. D. Moffat and L. M. Langer—237(A)
Gamma-gamma-correlations, J. R. Beyster and M. L. Wiedenbeck—411(L)
Gamma-ray measurement with NaI(Tl) crystals, R. Hofstadter and J. A. McIntyre—389(L)
γ-rays from nuclei exposed to photons, J. C. Keck, M. Stearns, and R. R. Wilson—199(A)
γ-rays pair spectrometer study, James Terrell—415(A)
Of Au, R. D. Hill and J. W. Mihelich—275
Of Au^{198}, Philip S. Jastram, W. Konneker, and Marshall R. Cleland—243(A)
Of Au^{199}, R. D. Hill—413(L)
Of Hf^{181}, Martin Deutsch and Arne Hedgran—400(L)
Half-life of radium C′, Guy von Dardel—734(L)
Half lives of 61^{147} and Sm^{151}, Mark G. Inghram, Richard J. Hayden, and David C. Hess—271
Internal conversion of Sc^{46}, M. L. Moon, M. A. Waggoner, and A. Roberts—905(L)
Of Ir, T. C. Chu—582
Of Ir^{194}, Ag^{110}, Cs^{134}, Richard Wilson—1004(L)
Kr^{81}, new long-lived activity, John H. Reynolds—886(L)
Of Kr^{85}, H. Zeldes, B. H. Ketelle, and A. R. Brosi—901(L)
Of Hg^{197}, H. Frauenfelder, O. Huber, A. de-Shalit, and W. Zünti—1029(L)

Radioactivity (continued)
Of Nd, C. E. Mandeville and E. Shapiro—391(L)
Of Np^{238}, M. S. Freedman, A. H. Jaffey, and F. Wagner, Jr.—410(L)
Of Nb^{99}, Ta^{185}, and W^{185}, R. B. Duffield, L. Hsiao, and E. N. Sloth—1011(L)
Of Ni^{59} and Ni^{63}, H. W. Wilson—1032(L)
Of Os^{185}, Os^{191}, and Os^{193}, Merle E. Bunker, Robert Canada, and Allan C. G. Mitchell—610
Of Pd^{111}, A. Storruste—193(L)
Polarization states of annihilation quanta, Frank L. Hereford—228(A)
"Positive tracks" near β-ray emitters, Gerhart Groetzinger and Fred L. Ribe—904(L)
Positron-conjoint gamma-radiation detection, Herbert E. Kubitschek—23
Of K^{40}, T. R. Roberts and Alfred O. Nier—198(A); G. A. Sawyer and M. L. Wiedenbeck—490
Of K^{40}, beta-ray spectrum, David E. Alburger—236(A)
Of K^{40}, decay constant, B. Smaller, J. May, and M. Freedman—940
Of K^{40}, gamma-ray energy, P. R. Bell and Judith M. Cassidy—173(L)
Of K^{40}, electron capture/beta-decay ratio, T. Gráf—1014(L)
Of Pa^{232}, half-life, Arthur H. Jaffey and Earl K. Hyde—280
Of Rh^{106}, internal conversion, Franz Metzger—398(L)
Of Ru^{103}, J. Y. Mei, C. M. Huddleston, and Allan C. G. Mitchell—237(A); Evani Kondaiah—1010(L)
Of Ri^{103} and Rh^{103m}, A. J. Saur, P. Acel, L. G. Mann, and J. Ovadia—237(A)
Of Ru^{103}, Pd^{103}, and Rh^{103}, J. Y. Mei, C. M. Huddleston and Allan C. G. Mitchell—429
Of Sc^{44}, Joseph A. Bruner and Lawrence M. Langer—606
Of Sc^{44}, coincidence studies, William H. Cuffey—180(L)
Of Sc^{46}, decay scheme, B. N. Sorensen, B. M. Dale, and J. D. Kurbatov—1007(L)
Short-lived radioactive gases, Michel Ter-Pogossian, Fred T. Porter, and C. Sharp Cook—244(A)
Of Ag^{105} and Ag^{106}, J. Y. Mei, C. M. Huddleston, and Allan C. G. Mitchell—1010(L)
Of Ag^{110}, W. C. Rutledge, A. E. Stoddard, C. E. Branyan, J. LeBlanc, and J. M. Cork—237(A)
Of Ag^{110}, genetic relationship, John Miskel—403(L)
Of Ag^{111}, Cd^{111} and In^{111}, decay scheme, Stig Johansson—896(L)
Of Na^{24}, half-life, A. K. Solomon—403(L)
Of Sr^{85}, Lin-sheng Cheng and J. D. Kurbatov—237(A)
Of Sr^{90}, Ruth I. Powers and A. F. Voigt—175(L)
Of Sr^{90}-Y^{90}, first-forbidden beta-spectra, L. Jackson Laslett, E. N. Jensen, and A. Paskin—412(L)
Of Ta isomer, Max Goodrich and Edward C. Campbell—418(A)
Of Tb and Ho, Geoffrey Wilkinson and Harry G. Hicks—815
Of Tl^{202}, Geoffrey Wilkinson—1014(L)
Of Tl^{209}, French Hagemann—534(L)
Of Sn^{117} isomeric activity, Raymond W. Hayward—542(L)
Of Sn^{117}, isomers, J. W. Mihelich and R. D. Hill—781
Of Sn^{123} and Sn^{125}, B. H. Ketelle, C. M. Nelson, and G. E. Boyd—242(A)
Of Sn^{125}, beta-spectrum, Raymond W. Hayward—409(L)
Of Xe^{133m}, Igmar Bergström and Sigvard Thulin—538(L)
Of Yb^{169}, E. N. Jensen, L. J. Laslett, R. T. Nichols, and W. W. Pratt—243(A)
Of Yb^{170} half-life, erratum, R. E. Bell and R. L. Graham—194(L)
Of Zn^{62} and Cu^{62}, Raymond W. Hayward—541(L)
Of Zr^{97} and Nb^{97}, W. H. Burgus, J. D. Knight, and R. J Prestwood—104

Raman spectra
Of SiF_4, Patricia J. H. Woltz and Ernest A. Jones—416(A)

Range of particles
Asymptotic expression for stopping power of *K*-electrons, L. M. Brown—297
β-particles through zapon windows, C. Sharp Cook and Chia-hua Chang—244(A)
Ionization by heavy particles, J. K. Knipp—197(A)
Of million-volt electrons, Robert D. Birkhoff, Earl E. Hays, and S. A. Goudsmit—199(A)
Range-energy relations for protons in C, H, O, A, and Xe, erratum, J. O. Hirschfelder and J. L. Magee—1005(L)
Stopping power of *K*-electrons, H. A. Bethe, L. M. Brown, and M. C. Walske—413(L)

Relativity
Conservation laws, electromagnetic field, Robert Penfield and Henry Zatzkis—201(A)
Covariant canonical formulism, Peter G. Bergmann, Robert Penfield, Ralph Schiller, and Henry Zatzkis—201(A)
Gravitational radiation and motion, A. E. Scheidegger and L. Infeld—201(A)
Quantization of Einstein's gravitational field equations, F. A. E. Pirani and A. Schild—986

Scattering of electrons, mesons, neutrons, protons, and ions (see also **Cross section, measurements, theory**)
Asymptotic expression for stopping power of *K*-electrons, L. M. Brown—297
Capture of protons by Al, F. C. Shoemaker, J. E. Faulkner, S. G. Kaufmann, and G. M. B. Bouricius—228(A)
Coherent neutron-proton scattering, liquid mirror, D. J. Hughes, M. T. Burgy, and G. R. Ringo—227(A)
d-p for 10.4-Mev deuterons, J. C. Allred and Louis Rosen—227(A)
Deuterons by 90-Mev neutrons, Walter Hartsough, Milton Hill, and Wilson M. Powell—219(A)
Elastic scattering of electrons on protons, M. N. Rosenbluth—615
Electric processes in deuteron reactions, M. L. Goldberger—221(A)
Electron-electron scattering, Lorne A. Page and W. M. Woodward—228(A); Gerhart Groetzinger, Lewis B. Leder, Fred L. Ribe, and Martin J. Berger—228(A), 454
Of fast electrons, elastic scattering, nuclear structure, L. R. B. Elton—412(L)
Of 14-Mev deuterons, elastic and inelastic, Keith Boyer and Harry Gove—228(A)
High energy neutrons by deuterons, neutron-neutron interaction, Geoffrey F. Chew—219(A)
High energy nucleon-nucleon scattering, K. M. Case and A. Pais—185(L)
High energy scattering, charge independence, Robert Jastrow—389(L)
Of mesons by nucleons, Murray Peshkin—221(A)
Neutron cross sections for noble gases, S. P. Harris—219(A)
n-d scattering at 4.5 and 5.5 Mev, Ernest Wantuch—729(L)
n-p scattering at 27 Mev, J. E. Brolley, Jr., J. H. Coon, and J. L. Fowler—227(A)
n-p at 260 Mev, E. Kelly, C. Leith, E. Segrè, and C. Wiegand—96
Neutron-proton interaction, range of tensor force, A. A. Broyles and M. H. Hull—247
Neutron resonance in Cl^{35}, C. T. Hibdon and C. O. Muehlhause—44, 219(A)
Neutron resonances, S. P. Harris, C. O. Muehlhause, and G. E. Thomas—11
Neutron resonance of lithium, Robert K. Adair—1018(L)
Of neutrons by *S*, R. E. Peterson, H. H. Barschall, and C. K. Bockelman—593

Neutrons from thick targets, angular distribution, C. E. Falk—219(A)
Of Ni coherent neutron scattering, W. C. Koehler, E. O. Wollan, and C. G. Shull—395(L)
Of positrons and electrons by nuclei, H. J. Lipkin and M. G. White—892(L)
Proton-proton at 90°, F. E. Faris and Byron T. Wright—577
p-p at 31.8-Mev proportional counter method, Bruce Cork, Lawrence Johnston, and Chaim Richman—71
p-p at 340 Mev, Owen Chamberlain and Clyde Wiegand—81
p-p near 30 Mev, Wolfgang K. H. Panofsky and Franklin L. Fillmore—57
p-p, theory, R. S. Christian and H. P. Noyes—85
Protons by carbon, W. D. Whitehead—1022(L)
Protons from Li^7, H. T. Richards, S. Bashkin, D. S. Craig, D. Donahue, V. R. Johnson, and D. Martin—239(A)
Protons from nucleons within nuclei, G. M. Temmer—227(A)
Of 16.5-Mev electrons, elastic, E. M. Lyman, A. O. Hanson, and M. B. Scott—228(A)
Slow neutrons by parahydrogen, variational principles, B. A. Lippmann—481
Slow neutrons by solid helium, L. Goldstein and D. Sweeney—218(A)
Spin dependent nuclear "radii," C. O. Muehlhause—1002(L)
Thermal neutron scattering by NH_4Cl, Motoharu Kimura—544(L)
Of 3.27-Mev neutrons by deuterons, I. Hamouda, J. Halter, and P. Scherrer—539(L)
Variational method for scattering problems, L. Hulthén and P. O. Olsson—531(L)
Variational principles for scattering processes, B. A. Lippmann and Julian Schwinger—469

Scattering of radiation (see also **Raman spectra**)
Of CD_3NC and CD_3Cn, Ralph Trambarulo and Walter Gordy—224(A)
Gamma-rays by protons, R. G. Sachs and L. L. Foldy—221(A)
Of light by light, Robert Karplus and Maurice Neuman—220(A)

Semiconductors (see **Electrical conductivity and resistance**)

Shock waves
Characterized by Beattie-Bridgeman equation of state, J. C. Crown—229(A)
Diffraction around two-dimensional objects, surface pressures, W. Bleakney and D. R. White—546(A)
Diffraction through small angle, C. H. Fletcher—546(A)
Gas liquefaction in shock tubes by light scattering, G. A. Lundquist—230(A)
Glancing reflection, A. H. Van Tuyl—230(A)
Photography of detonation and shock phenomena, R. Heine-Geldern, E. M. Pugh, and S. Foner—230(A)
Photography of metal jet charges, E. M. Pugh, R. Heine-Geldern, and E. C. Mutschler—230(A)

Solid state (see **Crystalline state**)

Spark discharge (see **Discharge of electricity in gases**)

Specific heat
Of Cu, nuclear, J. A. Brinkman and C. Kukuchi—226(A)
Of diphenyl ether, G. T. Furukawa, R. E. McCoskey, R. S. Jessup, and R. A. Nelson—223(A)
Of Hg between 0° and 450°C, T. B. Douglas, Anne F. Ball, and D. C. Ginnings—202(A)
Of Na between 0° and 900°C, D. C. Ginnings, T. B. Douglas, and A. F. Ball—202(A)

Spectra, absorption (see also **Absorption of radiation**)
Of condensed O_2 and H_2, A. Lee Smith, William E. Keller, and Herrick L. Johnston—728(L)
Of crystalline hydrogen sulfide, L. B. Lohman and D. F. Hornig—235(A)
Of deuteronaphthalene, L. Corrsin—235(A)
Of homopolar diatomic molecules, infra-red, Robert Van Asselt and Dudley Williams—1016(L)
Of SiF_4, Raman spectra, Patricia J. H. Woltz and Ernest A. Jones—416(A)
Of tung oil, infra-red, F. M. McGehee, Jr. and E. Scott Barr—416(A)
Of vegetable oil compounds, infra-red, E. Scott Barr—416(A)
Of xylene vapors, C. D. Cooper and H. Sponer—235(A)

Spectra, atomic
Of He^3 I, Mark Fred, Frank S. Tomkins and James K. Brody—212(A)
Isotope shift in Ba, O. H. Arroe—836
Isotope shift in Pb II, Felix E. Geiger, Jr.—212(A)
Low terms of Ti II, Abraham Many—531(L)
Rydberg constant, Bohr formula, Raymond T. Birge—193(L); Erratum—1005(L)
Spin of Mo^{95} and Mo^{97}, O. H. Arroe—212(A)

Spectra, general
Molecular rotation and temperature of upper atmosphere, Lewis M. Branscomb—619
Radiofrequency spectrum of $K^{39}F$, Ludwig Grabner and Vernon Hughes—819
Of scintillation solutions, F. B. Harrison and G. T. Reynolds—745(L)
Scintillation spectra of organic crystals, W. S. Koski and C. O. Thomas—217(A)
Na *D* lines during twilight, F. D. Kahn—167(L)
Solar spectrum, map, J. H. Shaw, R. M. Chapman, and J. N. Howard—1017(L)
Transauroral line of oxygen, N. D. Sayers and K. G. Emeleus—166(L)

Spectra, microwave
Absorption of O_2, J. H. Burkhalter, R. S. Anderson, W. V. Smith, and W. Gordy—224(A)
Of BrCl, D. F. Smith, M. Tidwell and D. V. P. Williams—1007(L)
Of bromogermane, A. Harry Sharbaugh, Benjamin S. Pritchard, Virginia G. Thomas, John M. Mays, and Benjamin P. Dailey—189(L)
Of $ChBr_3^{79}$, $CHBr_3^{81}$, and PBr^{81}, Quitman Williams and Walter Gordy—225(A)
Collision diameters from pressure broadening, Raydeen R. Howard and William V. Smith—128
Of ketene, B. Bak, E. Stenberg Knudsen, E. Madsen, and J. Rastrup-Andersen—190(L)
Of methyl bromo-acetylene, John Sheridan and Walter Gordy—224(A)
Of methyl cyanide and methyl isocyanide, Myer Kessler, Harold Ring, Ralph Trambarulo, and Walter Gordy—54
Of methyl cyanide, isotopic modifications, D. K. Coles, W. E. Good, and R. H. Hughes—224(A)
Of methyl mercuric halides, Walter Gordy and John Sheridan—224(A)
Microwave collision diameters, Raydeen R. Howard and William V. Smith—225(A)
Of N^{14}, structure of NF_3, John Sheridan and Walter Gordy—513
Optical detection of radiofrequency resonance, J. Brossel, P. Sagalyn, and F. Bitter—225(A)
Of oxygen, fine structure, James H. Burkhalter, Roy S. Anderson, William V. Smith, and Walter Gordy—651
Of $Rb^{85}F$ and $Rb^{87}F$, Vernon Hughes and Ludwig Grabner—314
Selenium isotopes in OCSe, S. Geschwind, H. Minden, and C. H. Townes—226(A)
Transitions in an inhomogeneous electric field, Joshua Goldberg and Peter G. Bergmann—225(A)

Spectra, molecular (see also **Molecular structure and constants**)
Of CO_2, 2.7μ bands, Robert Jones and Ely E. Bell—1004(L)

Spectra, molecular (continued)
Of hydrogen-bridged amides and alcohols, Gladys A. Anslow—234(A)
Of methane, coriolis perturbation, Emily W. Jones and Joseph W. Straley—417(A)
Of pentaborane, W. J. Taylor, C. W. Beckett, J. Y. Tung, R. B. Holden, and H. L. Johnston—234(A)
Rotation-vibration interaction in OCS and OCSe, W. Low and C. H. Townes—224(A)
Of urea, effect of aging and of heat treatment, Ruth C. Shea and Gladys A. Anslow—234(A)
Of water vapor in region of 2.7μ, W. S. Benedict and E. K. Plyler—234(A)
Spectroscopy, technique
Photoelectric Raman spectrograph, Joseph W. Straley and Morita Crymes—416(A)
Spinor fields
Non-linear spinor fields, R. Finkelstein and M. Rudermann —220(A)
Statistical mechanics (see **Mechanics, statistical**)
Superconductivity (see **Electrical conductivity and resistance**)
Supersonics (see also **Shock waves**)
Absorption theory, A. Gierer and K. Wirtz—906(L)
Axially symmetric flows, Bertrand des Clers and Chieh-Chien Chang—547(A)
Flow in shock tube, David Weimer—546(A)
Flow measurements, Wayland C. Griffith—546(A)
Laminar and turbulent boundary layers, R. Ladenburg and P. Watchell—548(A)
Plane Couette flow of semirarefied gas, T. C. Lin—547(A)

Thermionic emission; Emitting surfaces
Boride cathodes, J. M. Lafferty—1012(L)
Deterioration of oxide-coated cathodes, J. F. Waymouth, Jr.—233(A)
Molecules on hot wire detector, sitting time, D. T. F. Marple and Henry Levinstein—223(A)
Schottky deviations, patch fields, E. A. Coomes, R. J. Munick, and W. B. La Berge—233(A)
Thermodynamics
Of liquid helium and of He^3-He^4 solutions, O. K. Rice—1024(L)
Thermoelectric effects
Thermoelectromotive force of Sn, R. T. Webber and M. C. Steele—1028(L)
Transmutation (see **Disintegration and excitation of nucleus**)

Ultrasonics (see **Acoustics**)
Uncertainty principle (see **Quantum mechanics-general**)

Van der Waals forces
Theory, Franklin C. Brooks—200(A)
Vapor pressure
Of He^3, He^4 solutions, John E. Kilpatrick—529(L)
Virial coefficient
Data of state for hydrogen, Herrick L. Johnston, Irving J. Bezmann, Thor Rubin, Lyle Jensen, David White, and Abraham S. Friedman—235(A)
Force constants for helium and for deuterium, David White and Herrick L. Johnston—236(A)
Force constants for H_2 and for N_2, David White, Abraham S. Friedman, and Herrick L. Johnston—235(A)
Of non-polar binary gas mixtures, David White—236(A)
Solution of two non-polar gases, David White, Abraham S. Friedman, and Herrick L. Johnston—235(A)

X-rays, absorption, diffraction, scattering, reflection, refraction, and polarization
Interface absorption by evaporated films, E. M. Pell and D. H. Tomboulian—210(A)
Low angle scattering, electron density measurements, H. M. Barton, Jr.—211(A)
X-rays, emission
Angular distribution 70-Mev x-rays, G. C. Baldwin, F. I. Boley, and H. C. Pollock—210(A)
X-rays, tubes, apparatus
Bent crystal spectrometer, E. L. Jossem and L. G. Parratt—210(A)

Zeeman effect
In O_2, A. F. Henry—213(A)